



Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
A	RockSmith Hammer Product Number	DTHHAM2			
	Bit Shank				
	Top Thread	RD50			
	Total Length Approx mm (L)	880			
	Outside Diameter mm (D1)	62			
Drill Bits					
	Bit Shank				
	Spline Number	6			
1	DHHB-CC-SB-70	70	2-3/4"	Concave	Semi-Ballastic
2	DHHB-CC-SB-73	73	2-7/8"	Concave	Semi-Ballastic
3	DHHB-CC-SB-76	76	3"	Concave	Semi-Ballastic
4	DHHB-CC-SB-79	79	3-1/8"	Concave	Semi-Ballastic
5	DHHB-CC-SB-83	83	3-1/4"	Concave	Semi-Ballastic
6	DHHB-CC-SB-86	86	3-3/8"	Concave	Semi-Ballastic
7	DHHB-CC-SB-90	90	3-1/2"	Concave	Semi-Ballastic
8	DHHB-CV-SB-70	70	2-3/4"	Convex	Semi-Ballastic
9	DHHB-CC-SB-73	73	2-7/8"	Convex	Semi-Ballastic
10	DHHB-CV-SB-76	76	3"	Convex	Semi-Ballastic
11	DHHB-CV-SB-79	79	3-1/8"	Convex	Semi-Ballastic
12	DHHB-CV-SB-83	83	3-1/4"	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
13	DHHB-CV-SB-86	86	3-3/8"	Convex	Semi-Ballistic
14	DHHB-CV-SB-90	90	3-1/2"	Convex	Semi-Ballistic
15	DHHB-FLT-SB-70	70	2-3/4"	Flat	Semi-Ballistic
16	DHHB-FLT-SB-73	73	2-7/8"	Flat	Semi-Ballistic
17	DHHB-FLT-SB-76	76	3"	Flat	Semi-Ballistic
18	DHHB-FLT-SB-79	79	3-1/8"	Flat	Semi-Ballistic
19	DHHB-FLT-SB-83	83	3-1/4"	Flat	Semi-Ballistic
20	DHHB-FLT-SB-86	86	3-3/8"	Flat	Semi-Ballistic
21	DHHB-FLT-SB-90	90	3-1/2"	Flat	Semi-Ballistic
22	DHHB-CC-HEM-70	70	2-3/4"	Concave	Hemispherical
23	DHHB-CC-HEM-73	73	2-7/8"	Concave	Hemispherical
24	DHHB-CC-HEM-76	76	3"	Concave	Hemispherical
25	DHHB-CC-HEM-79	79	3-1/8"	Concave	Hemispherical
26	DHHB-CC-HEM-83	83	3-1/4"	Concave	Hemispherical
27	DHHB-CC-HEM-86	86	3-3/8"	Concave	Hemispherical
28	DHHB-CC-HEM-90	90	3-1/2"	Concave	Hemispherical
29	DHHB-CV-HEM-70	70	2-3/4"	Convex	Hemispherical
30	DHHB-CV-HEM-73	73	2-7/8"	Convex	Hemispherical
31	DHHB-CV-HEM-76	76	3"	Convex	Hemispherical
32	DHHB-CV-HEM-79	79	3-1/8"	Convex	Hemispherical
33	DHHB-CV-HEM-83	83	3-1/4"	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
34	DHHB-CC-HEM-76	86	3-3/8"	Convex	Hemispherical
35	DHHB-CV-HEM-90	90	3-1/2"	Convex	Hemispherical
36	DHHB-FLT-HEM-70	70	2-3/4"	Flat	Hemispherical
37	DHHB-FLT-HEM-73	73	2-7/8"	Flat	Hemispherical
38	DHHB-FLT-HEM-76	76	3"	Flat	Hemispherical
39	DHHB-FLT-HEM-79	79	3-1/8"	Flat	Hemispherical
40	DHHB-FLT-HEM-83	83	3-1/4"	Flat	Hemispherical
41	DHHB-FLT-HEM-86	86	3-3/8"	Flat	Hemispherical
42	DHHB-FLT-HEM-90	90	3-1/2"	Flat	Hemispherical
B	RockSmith Hammer Product Number	DTHHAM3			
	Bit Shank	DHD 3.5			
	Top Thread	API 2-3/8" PIN			
	Total Approx Length mm (L)	932			
	Outside Diameter mm (D1)	82			
	Drill Bits				
	Bit Shank	DHD 3.5			
	Spline Number	8			
1	DHD3.5BIT-CC-SB-90	90	3 1/2	Concave	Semi-Ballastic
2	DHD3.5BIT-CC-SB-92	92	3 5/8	Concave	Semi-Ballastic
3	DHD3.5BIT-CC-SB-95	95	3 3/4	Concave	Semi-Ballastic
4	DHD3.5BIT-CC-SB-98	98	3 6/7	Concave	Semi-Ballastic
5	DHD3.5BIT-CC-SB-102	102	4	Concave	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
6	DHD3.5BIT-CC-SB-105	105	4 1/7	Concave	Semi-Ballastic
7	DHD3.5BIT-CC-SB-108	108	4 1/4	Concave	Semi-Ballastic
8	DHD3.5BIT-CC-SB-111	111	4 3/8	Concave	Semi-Ballastic
9	DHD3.5BIT-CC-SB-114	114	4 1/2	Concave	Semi-Ballastic
10	DHD3.5BIT-CV-SB-90	90	3 1/2	Convex	Semi-Ballastic
11	DHD3.5BIT-CV-SB-92	92	3 5/8	Convex	Semi-Ballastic
12	DHD3.5BIT-CV-SB-95	95	3 3/4	Convex	Semi-Ballastic
13	DHD3.5BIT-CV-SB-98	98	3 6/7	Convex	Semi-Ballastic
14	DHD3.5BIT-CV-SB-102	102	4	Convex	Semi-Ballastic
15	DHD3.5BIT-CV-SB-105	105	4 1/7	Convex	Semi-Ballastic
16	DHD3.5BIT-CV-SB-108	108	4 1/4	Convex	Semi-Ballastic
17	DHD3.5BIT-CV-SB-111	111	4 3/8	Convex	Semi-Ballastic
18	DHD3.5BIT-CV-SB-114	114	4 1/2	Convex	Semi-Ballastic
19	DHD3.5BIT-FLT-SB-90	90	3 1/2	Flat	Semi-Ballastic
20	DHD3.5BIT-FLT-SB-92	92	3 5/8	Flat	Semi-Ballastic
21	DHD3.5BIT-FLT-SB-95	95	3 3/4	Flat	Semi-Ballastic
22	DHD3.5BIT-FLT-SB-98	98	3 6/7	Flat	Semi-Ballastic
23	DHD3.5BIT-FLT-SB-102	102	4	Flat	Semi-Ballastic
24	DHD3.5BIT-FLT-SB-105	105	4 1/7	Flat	Semi-Ballastic
25	DHD3.5BIT-FLT-SB-108	108	4 1/4	Flat	Semi-Ballastic
26	DHD3.5BIT-FLT-SB-111	111	4 3/8	Flat	Semi-Ballastic
27	DHD3.5BIT-FLT-SB-114	114	4 1/2	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
28	DHD3.5BIT-CC-HEM-90	90	3 1/2	Concave	Hemispherical
29	DHD3.5BIT-CC-HEM-92	92	3 5/8	Concave	Hemispherical
30	DHD3.5BIT-CC-HEM-95	95	3 3/4	Concave	Hemispherical
31	DHD3.5BIT-CC-HEM-98	98	3 6/7	Concave	Hemispherical
32	DHD3.5BIT-CC-HEM-102	102	4	Concave	Hemispherical
33	DHD3.5BIT-CC-HEM-105	105	4 1/7	Concave	Hemispherical
34	DHD3.5BIT-CC-HEM-108	108	4 1/4	Concave	Hemispherical
35	DHD3.5BIT-CC-HEM-111	111	4 3/8	Concave	Hemispherical
36	DHD3.5BIT-CC-HEM-114	114	4 1/2	Concave	Hemispherical
37	DHD3.5BIT-CV-HEM-90	90	3 1/2	Convex	Hemispherical
38	DHD3.5BIT-CV-HEM-92	92	3 5/8	Convex	Hemispherical
39	DHD3.5BIT-CV-HEM-95	95	3 3/4	Convex	Hemispherical
40	DHD3.5BIT-CV-HEM-98	98	3 6/7	Convex	Hemispherical
41	DHD3.5BIT-CV-HEM-102	102	4	Convex	Hemispherical
42	DHD3.5BIT-CV-HEM-105	105	4 1/7	Convex	Hemispherical
43	DHD3.5BIT-CV-HEM-108	108	4 1/4	Convex	Hemispherical
44	DHD3.5BIT-CV-HEM-111	111	4 3/8	Convex	Hemispherical
45	DHD3.5BIT-CV-HEM-114	114	4 1/2	Convex	Hemispherical
46	DHD3.5BIT-FLT-HEM-90	90	3 1/2	Flat	Hemispherical
47	DHD3.5BIT-FLT-HEM-92	92	3 5/8	Flat	Hemispherical
48	DHD3.5BIT-FLT-HEM-95	95	3 3/4	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
49	DHD3.5BIT-FLT-HEM-98	98	3 6/7	Flat	Hemispherical
50	DHD3.5BIT-FLT-HEM-102	102	4	Flat	Hemispherical
51	DHD3.5BIT-FLT-HEM-105	105	4 1/7	Flat	Hemispherical
52	DHD3.5BIT-FLT-HEM-108	108	4 1/4	Flat	Hemispherical
53	DHD3.5BIT-FLT-HEM-111	111	4 3/8	Flat	Hemispherical
54	DHD3.5BIT-FLT-HEM -114	114	4 1/2	Flat	Hemispherical
C	RockSmith Hammer Product Number	DTHHAM4			
	Bit Shank	DHD 340	Also available in QL40, SD4/3415, M40 shank		
	Top Thread	API 2-3/8" PIN			
	Total Approx Length (L) mm	1000			
	Outside Diameter (D1) mm Approx	98			
Drill Bits					
	Bit Shank	DHD 340	Also available in QL40, SD4/3415, M40 shank		
	Spline Number	8			
1	DHD340-Bit-CC-SB-114	114	4 1/2	Concave	Semi-Ballastic
2	DHD340-Bit-CC-SB-117	117	4 5/8	Concave	Semi-Ballastic
3	DHD340-Bit-CC-SB-121	121	4 3/4	Concave	Semi-Ballastic
4	DHD340-Bit-CC-SB-124	124	4 7/8	Concave	Semi-Ballastic
5	DHD340-Bit-CC-SB-127	127	5	Concave	Semi-Ballastic
6	DHD340-Bit-CC-SB-130	130	5 1/8	Concave	Semi-Ballastic
7	DHD340-Bit-CC-SB-133	133	5 1/4	Concave	Semi-Ballastic
8	DHD340-Bit-CC-SB-137	137	5-3/8	Concave	Semi-Ballastic
9	DHD340-Bit-CC-SB-140	140	5 1/2	Concave	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
10	DHD340-Bit-CV-SB-114	114	4 1/2	Convex	Semi-Ballastic
11	DHD340-Bit-CV-SB-117	117	4 5/8	Convex	Semi-Ballastic
12	DHD340-Bit-CV-SB-121	121	4 3/4	Convex	Semi-Ballastic
13	DHD340-Bit-CV-SB-124	124	4 7/8	Convex	Semi-Ballastic
14	DHD340-Bit-CV-SB-127	127	5	Convex	Semi-Ballastic
15	DHD340-Bit-CV-SB-130	130	5 1/8	Convex	Semi-Ballastic
16	DHD340-Bit-CV-SB-133	133	5 1/4	Convex	Semi-Ballastic
17	DHD340-Bit-CV-SB-137	137	5-3/8	Convex	Semi-Ballastic
18	DHD340-Bit-CV-SB-140	140	5 1/2	Convex	Semi-Ballastic
19	DHD340-Bit-FLT-SB-114	114	4 1/2	Flat	Semi-Ballastic
20	DHD340-Bit-FLT-SB-117	117	4 5/8	Flat	Semi-Ballastic
21	DHD340-Bit-FLT-SB-121	121	4 3/4	Flat	Semi-Ballastic
22	DHD340-Bit-FLT-SB-124	124	4 7/8	Flat	Semi-Ballastic
23	DHD340-Bit-FLT-SB-127	127	5	Flat	Semi-Ballastic
24	DHD340-Bit-FLT-SB-130	130	5 1/8	Flat	Semi-Ballastic
25	DHD340-Bit-FLT-SB-133	133	5 1/4	Flat	Semi-Ballastic
26	DHD340-Bit-FLT-SB-137	137	5-3/8	Flat	Semi-Ballastic
27	DHD340-Bit-FLT-SB-140	140	5 1/2	Flat	Semi-Ballastic
28	DHD340-Bit-CC-HEM-114	114	4 1/2	Concave	Hemispherical
29	DHD340-Bit-CC-HEM-117	117	4 5/8	Concave	Hemispherical
30	DHD340-Bit-CC-HEM-121	121	4 3/4	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
31	DHD340-Bit-CC-HEM-124	124	4 7/8	Concave	Hemispherical
32	DHD340-Bit-CC-HEM-127	127	5	Concave	Hemispherical
33	DHD340-Bit-CC-HEM-130	130	5 1/8	Concave	Hemispherical
34	DHD340-Bit-CC-HEM-133	133	5 1/4	Concave	Hemispherical
35	DHD340-Bit-CC-HEM-137	137	5-3/8	Concave	Hemispherical
36	DHD340-Bit-CC-HEM-140	140	5 1/2	Concave	Hemispherical
37	DHD340-Bit-CV-HEM-114	114	4 1/2	Convex	Hemispherical
38	DHD340-Bit-CV-HEM-117	117	4 5/8	Convex	Hemispherical
39	DHD340-Bit-CV-HEM-121	121	4 3/4	Convex	Hemispherical
40	DHD340-Bit-CV-HEM-124	124	4 7/8	Convex	Hemispherical
41	DHD340-Bit-CV-HEM-127	127	5	Convex	Hemispherical
42	DHD340-Bit-CV-HEM-130	130	5 1/8	Convex	Hemispherical
43	DHD340-Bit-CV-HEM-133	133	5 1/4	Convex	Hemispherical
44	DHD340-Bit-CV-HEM-137	137	5-3/8	Convex	Hemispherical
45	DHD340-Bit-CV-HEM-140	140	5 1/2	Convex	Hemispherical
46	DHD340-Bit-FLT-HEM-114	114	4 1/2	Flat	Hemispherical
47	DHD340-Bit-FLT-HEM-117	117	4 5/8	Flat	Hemispherical
48	DHD340-Bit-FLT-HEM-121	121	4 3/4	Flat	Hemispherical
49	DHD340-Bit-FLT-HEM-124	124	4 7/8	Flat	Hemispherical
50	DHD340-Bit-FLT-HEM-127	127	5	Flat	Hemispherical
51	DHD340-Bit-FLT-HEM-130	130	5 1/8	Flat	Hemispherical
52	DHD340-Bit-FLT-HEM-133	133	5 1/4	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
53	DHD340-Bit-FLT-HEM-137	137	5-3/8	Flat	Hemspherical
54	DHD340-Bit-FLT-HEM-140	140	5 1/2	Flat	Hemspherical
D	RockSmith Hammer Product Number	DTHHAM5			
	Bit Shank	DHD 350	Also available in QL50, SD5/4315,M50 shank		
	Top Thread	API 3-1/2" Reg Pin			
	Total Approx Length (L) mm	1185			
	Outside Diameter (D1) mm Approx	123			
Drill Bits					
	Bit Shank	DHD 350	Also available in QL50, SD5/4315,M50 shank		
	Spline Number	8			
1	DHD 350-Bit-CC-SB-130	130	5 1/8	Concave	Semi-Ballastic
2	DHD 350-Bit-CC-SB-133	133	5 1/4	Concave	Semi-Ballastic
3	DHD 350-Bit-CC-SB-137	137	5 3/8	Concave	Semi-Ballastic
4	DHD 350-Bit-CC-SB-140	140	5 1/2	Concave	Semi-Ballastic
5	DHD 350-Bit-CC-SB-143	143	5 5/8	Concave	Semi-Ballastic
6	DHD 350-Bit-CC-SB-146	146	5 3/4	Concave	Semi-Ballastic
7	DHD 350-Bit-CC-SB-149	149	5 7/8	Concave	Semi-Ballastic
8	DHD 350-Bit-CC-SB-152	152	6	Concave	Semi-Ballastic
9	DHD 350-Bit-CV-SB-130	130	5 1/8	Convex	Semi-Ballastic
10	DHD 350-Bit-CV-SB-133	133	5 1/4	Convex	Semi-Ballastic
11	DHD 350-Bit-CV-SB-137	137	5 3/8	Convex	Semi-Ballastic
12	DHD 350-Bit-CV-SB-140	140	5 1/2	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
13	DHD 350-Bit-CV-SB-143	143	5 5/8	Convex	Semi-Ballastic
14	DHD 350-Bit-CV-SB-146	146	5 3/4	Convex	Semi-Ballastic
15	DHD 350-Bit-CV-SB-149	149	5 7/8	Convex	Semi-Ballastic
16	DHD 350-Bit-CV-SB-152	152	6	Convex	Semi-Ballastic
17	DHD 350-Bit-FLT-SB-130	130	5 1/8	Flat	Semi-Ballastic
18	DHD 350-Bit-FLT-SB-133	133	5 1/4	Flat	Semi-Ballastic
19	DHD 350-Bit-FLT-SB-137	137	5 3/8	Flat	Semi-Ballastic
20	DHD 350-Bit-FLT-SB-140	140	5 1/2	Flat	Semi-Ballastic
21	DHD 350-Bit-FLT-SB-143	143	5 5/8	Flat	Semi-Ballastic
22	DHD 350-Bit-FLT-SB-146	146	5 3/4	Flat	Semi-Ballastic
23	DHD 350-Bit-FLT-SB-149	149	5 7/8	Flat	Semi-Ballastic
24	DHD 350-Bit-FLT-SB-152	152	6	Flat	Semi-Ballastic
25	DHD 350-Bit-CC-HEM-130	130	5 1/8	Concave	Hemispherical
26	DHD 350-Bit-CC-HEM-133	133	5 1/4	Concave	Hemispherical
27	DHD 350-Bit-CC-HEM-137	137	5 3/8	Concave	Hemispherical
28	DHD 350-Bit-CC-HEM-140	140	5 1/2	Concave	Hemispherical
29	DHD 350-Bit-CC-HEM-143	143	5 5/8	Concave	Hemispherical
30	DHD 350-Bit-CC-HEM-146	146	5 3/4	Concave	Hemispherical
31	DHD 350-Bit-CC-HEM-149	149	5 7/8	Concave	Hemispherical
32	DHD 350-Bit-CC-HEM-152	152	6	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design	
E	RockSmith Hammer Product Number	DTHHAM6				
	Bit Shank	DHD 360	Also available in QL60, SD6/5315, M60 shank			
	Top Thread	API 3-1/2" Reg Pin				
	Total Approx Length (L) mm	1370				
	Outside Diameter (D1) mm Approx	137				
	Drill Bits					
	Bit Shank	DHD 360	Also available in QL60, SD6/5315, M60 shank			
	Spline Number	8				
1	DHD 360-Bit-CC-SB-152	152	6	Concave	Semi-Ballastic	
2	DHD 360-Bit-CC-SB-156	156	6 1/8	Concave	Semi-Ballastic	
3	DHD 360-Bit-CC-SB-159	159	6 1/4	Concave	Semi-Ballastic	
4	DHD 360-Bit-CC-SB-162	162	6 3/8	Concave	Semi-Ballastic	
5	DHD 360-Bit-CC-SB-165	165	6 1/2	Concave	Semi-Ballastic	
6	DHD 360-Bit-CC-SB-168	168	6 5/8	Concave	Semi-Ballastic	
7	DHD 360-Bit-CC-SB-171	171	6 3/4	Concave	Semi-Ballastic	
8	DHD 360-Bit-CC-SB-175	175	6 7/8	Concave	Semi-Ballastic	
9	DHD 360-Bit-CC-SB-178	178	7	Concave	Semi-Ballastic	
10	DHD 360-Bit-CC-SB-181	181	7 1/8	Concave	Semi-Ballastic	
11	DHD 360-Bit-CC-SB-184	184	7 1/4	Concave	Semi-Ballastic	
12	DHD 360-Bit-CC-SB-187	187	7 3/8	Concave	Semi-Ballastic	
13	DHD 360-Bit-CC-SB-191	191	7 1/2	Concave	Semi-Ballastic	
14	DHD 360-Bit-CC-SB-194	194	7 5/8	Concave	Semi-Ballastic	
15	DHD 360-Bit-CC-SB-197	197	7 3/4	Concave	Semi-Ballastic	
16	DHD 360-Bit-CC-SB-200	200	7 7/8	Concave	Semi-Ballastic	

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
17	DHD 360-Bit-CC-SB-203	203	8	Concave	Semi-Ballastic
18	DHD 360-Bit-CV-SB-152	152	6	Convex	Semi-Ballastic
19	DHD 360-Bit-CV-SB-156	156	6 1/8	Convex	Semi-Ballastic
20	DHD 360-Bit-CV-SB-159	159	6 1/4	Convex	Semi-Ballastic
21	DHD 360-Bit-CV-SB-162	162	6 3/8	Convex	Semi-Ballastic
22	DHD 360-Bit-CV-SB-165	165	6 1/2	Convex	Semi-Ballastic
23	DHD 360-Bit-CV-SB-168	168	6 5/8	Convex	Semi-Ballastic
24	DHD 360-Bit-CV-SB-171	171	6 3/4	Convex	Semi-Ballastic
25	DHD 360-Bit-CV-SB-175	175	6 7/8	Convex	Semi-Ballastic
26	DHD 360-Bit-CV-SB-178	178	7	Convex	Semi-Ballastic
27	DHD 360-Bit-CV-SB-181	181	7 1/8	Convex	Semi-Ballastic
28	DHD 360-Bit-CV-SB-184	184	7 1/4	Convex	Semi-Ballastic
29	DHD 360-Bit-CV-SB-187	187	7 3/8	Convex	Semi-Ballastic
30	DHD 360-Bit-CV-SB-191	191	7 1/2	Convex	Semi-Ballastic
31	DHD 360-Bit-CV-SB-194	194	7 5/8	Convex	Semi-Ballastic
32	DHD 360-Bit-CV-SB-197	197	7 3/4	Convex	Semi-Ballastic
33	DHD 360-Bit-CV-SB-200	200	7 7/8	Convex	Semi-Ballastic
34	DHD 360-Bit-CV-SB-203	203	8	Convex	Semi-Ballastic
35	DHD 360-Bit-FLT-SB-152	152	6	Flat	Semi-Ballastic
36	DHD 360-Bit-FLT-SB-156	156	6 1/8	Flat	Semi-Ballastic
37	DHD 360-Bit-FLT-SB-159	159	6 1/4	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
38	DHD 360-Bit-FLT-SB-162	162	6 3/8	Flat	Semi-Ballastic
39	DHD 360-Bit-FLT-SB-165	165	6 1/2	Flat	Semi-Ballastic
40	DHD 360-Bit-FLT-SB-168	168	6 5/8	Flat	Semi-Ballastic
41	DHD 360-Bit-FLT-SB-171	171	6 3/4	Flat	Semi-Ballastic
42	DHD 360-Bit-FLT-SB-175	175	6 7/8	Flat	Semi-Ballastic
43	DHD 360-Bit-FLT-SB-178	178	7	Flat	Semi-Ballastic
44	DHD 360-Bit-FLT-SB-181	181	7 1/8	Flat	Semi-Ballastic
45	DHD 360-Bit-FLT-SB-184	184	7 1/4	Flat	Semi-Ballastic
46	DHD 360-Bit-FLT-SB-187	187	7 3/8	Flat	Semi-Ballastic
47	DHD 360-Bit-FLT-SB-191	191	7 1/2	Flat	Semi-Ballastic
48	DHD 360-Bit-FLT-SB-194	194	7 5/8	Flat	Semi-Ballastic
49	DHD 360-Bit-FLT-SB-197	197	7 3/4	Flat	Semi-Ballastic
50	DHD 360-Bit-FLT-SB-200	200	7 7/8	Flat	Semi-Ballastic
51	DHD 360-Bit-FLT-SB-203	203	8	Flat	Semi-Ballastic
52	DHD 360-Bit-CC-HEM-152	152	6	Concave	Hemispherical
53	DHD 360-Bit-CC-HEM-156	156	6 1/8	Concave	Hemispherical
54	DHD 360-Bit-CC-HEM-159	159	6 1/4	Concave	Hemispherical
55	DHD 360-Bit-CC-HEM-162	162	6 3/8	Concave	Hemispherical
56	DHD 360-Bit-CC-HEM-165	165	6 1/2	Concave	Hemispherical
57	DHD 360-Bit-CC-HEM-168	168	6 5/8	Concave	Hemispherical
58	DHD 360-Bit-CC-HEM-171	171	6 3/4	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
59	DHD 360-Bit-CC-HEM-175	175	6 7/8	Concave	Hemispherical
60	DHD 360-Bit-CC-HEM-178	178	7	Concave	Hemispherical
61	DHD 360-Bit-CC-HEM-181	181	7 1/8	Concave	Hemispherical
62	DHD 360-Bit-CC-HEM-184	184	7 1/4	Concave	Hemispherical
63	DHD 360-Bit-CC-HEM-187	187	7 3/8	Concave	Hemispherical
64	DHD 360-Bit-CC-HEM-191	191	7 1/2	Concave	Hemispherical
65	DHD 360-Bit-CC-HEM-194	194	7 5/8	Concave	Hemispherical
66	DHD 360-Bit-CC-HEM-197	197	7 3/4	Concave	Hemispherical
67	DHD 360-Bit-CC-HEM-200	200	7 7/8	Concave	Hemispherical
68	DHD 360-Bit-CC-HEM-203	203	8	Concave	Hemispherical
69	DHD 360-Bit-CV-HEM-152	152	6	Convex	Hemispherical
70	DHD 360-Bit-CV-HEM-156	156	6 1/8	Convex	Hemispherical
71	DHD 360-Bit-CV-HEM-159	159	6 1/4	Convex	Hemispherical
72	DHD 360-Bit-CV-HEM-162	162	6 3/8	Convex	Hemispherical
73	DHD 360-Bit-CV-HEM-165	165	6 1/2	Convex	Hemispherical
74	DHD 360-Bit-CV-HEM-168	168	6 5/8	Convex	Hemispherical
75	DHD 360-Bit-CV-HEM-171	171	6 3/4	Convex	Hemispherical
76	DHD 360-Bit-CV-HEM-175	175	6 7/8	Convex	Hemispherical
77	DHD 360-Bit-CV-HEM-178	178	7	Convex	Hemispherical
78	DHD 360-Bit-CV-HEM-181	181	7 1/8	Convex	Hemispherical
79	DHD 360-Bit-CV-HEM-184	184	7 1/4	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
80	DHD 360-Bit-CV-HEM-187	187	7 3/8	Convex	Hemispherical
81	DHD 360-Bit-CV-HEM-191	191	7 1/2	Convex	Hemispherical
82	DHD 360-Bit-CV-HEM-194	194	7 5/8	Convex	Hemispherical
83	DHD 360-Bit-CV-HEM-197	197	7 3/4	Convex	Hemispherical
84	DHD 360-Bit-CV-HEM-200	200	7 7/8	Convex	Hemispherical
85	DHD 360-Bit-CV-HEM-203	203	8	Convex	Hemispherical
86	DHD 360-Bit-FLT-HEM-152	152	6	Flat	Hemispherical
87	DHD 360-Bit-FLT-HEM-156	156	6 1/8	Flat	Hemispherical
88	DHD 360-Bit-FLT-HEM-159	159	6 1/4	Flat	Hemispherical
89	DHD 360-Bit-FLT-HEM-162	162	6 3/8	Flat	Hemispherical
90	DHD 360-Bit-FLT-HEM-165	165	6 1/2	Flat	Hemispherical
91	DHD 360-Bit-FLT-HEM-168	168	6 5/8	Flat	Hemispherical
92	DHD 360-Bit-FLT-HEM-171	171	6 3/4	Flat	Hemispherical
93	DHD 360-Bit-FLT-HEM-175	175	6 7/8	Flat	Hemispherical
94	DHD 360-Bit-FLT-HEM-178	178	7	Flat	Hemispherical
95	DHD 360-Bit-FLT-HEM-181	181	7 1/8	Flat	Hemispherical
96	DHD 360-Bit-FLT-HEM-184	184	7 1/4	Flat	Hemispherical
97	DHD 360-Bit-FLT-HEM-187	187	7 3/8	Flat	Hemispherical
98	DHD 360-Bit-FLT-HEM-191	191	7 1/2	Flat	Hemispherical
99	DHD 360-Bit-FLT-HEM-194	194	7 5/8	Flat	Hemispherical
100	DHD 360-Bit-FLT-HEM-197	197	7 3/4	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design	
101	DHD 360-Bit-FLT-HEM-200	200	7 7/8	Flat	Hemispherical	
102	DHD 360-Bit-FLT-HEM-203	203	8	Flat	Hemispherical	
F	RockSmith Hammer Product Number	DTHHAM8				
	Bit Shank	DHD 380	Also available in QL80, SD8/6315 shank			
	Top Thread	4-1/2" API Reg Pin				
	Total Approx Length (L) mm	1204				
	Outside Diameter (D1) mm Approx	182				
	Drill Bits					
	Bit Shank	DHD 380	Also available in QL80, SD8/6315 shank			
	Spline Number	10				
1	DHD 380-Bit-CC-SB-200	200	7 7/8	Concave	Semi-Ballastic	
2	DHD 380-Bit-CC-SB-203	203	8	Concave	Semi-Ballastic	
3	DHD 380-Bit-CC-SB-206	206	8 1/9	Concave	Semi-Ballastic	
4	DHD 380-Bit-CC-SB-210	210	8 1/4	Concave	Semi-Ballastic	
5	DHD 380-Bit-CC-SB-213	213	8 2/5	Concave	Semi-Ballastic	
6	DHD 380-Bit-CC-SB-216	216	8 1/2	Concave	Semi-Ballastic	
7	DHD 380-Bit-CC-SB-219	219	8 5/8	Concave	Semi-Ballastic	
8	DHD 380-Bit-CC-SB-222	222	8 3/4	Concave	Semi-Ballastic	

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
9	DHD 380-Bit-CC-SB-225	225	8 6/7	Concave	Semi-Ballastic
10	DHD 380-Bit-CC-SB-229	229	9	Concave	Semi-Ballastic
11	DHD 380-Bit-CC-SB-232	232	9 1/8	Concave	Semi-Ballastic
12	DHD 380-Bit-CC-SB-235	235	9 1/4	Concave	Semi-Ballastic
13	DHD 380-Bit-CC-SB-238	238	9 3/8	Concave	Semi-Ballastic
14	DHD 380-Bit-CC-SB-241	241	9 1/2	Concave	Semi-Ballastic
15	DHD 380-Bit-CC-SB-244	244	9 5/8	Concave	Semi-Ballastic
16	DHD 380-Bit-CC-SB-248	248	9 3/4	Concave	Semi-Ballastic
17	DHD 380-Bit-CC-SB-251	251	9 7/8	Concave	Semi-Ballastic
18	DHD 380-Bit-CC-SB-254	254	10	Concave	Semi-Ballastic
19	DHD 380-Bit-CC-SB-257	257	10 1/8	Concave	Semi-Ballastic
20	DHD 380-Bit-CC-SB-260	260	10 1/4	Concave	Semi-Ballastic
21	DHD 380-Bit-CC-SB-264	264	10 3/8	Concave	Semi-Ballastic
22	DHD 380-Bit-CC-SB-267	267	10 1/2	Concave	Semi-Ballastic
23	DHD 380-Bit-CC-SB-270	270	10 5/8	Concave	Semi-Ballastic
24	DHD 380-Bit-CC-SB-273	273	10 3/4	Concave	Semi-Ballastic
25	DHD 380-Bit-CC-SB-276	276	10 7/8	Concave	Semi-Ballastic
26	DHD 380-Bit-CC-SB-279	279	11	Concave	Semi-Ballastic
27	DHD 380-Bit-CC-SB-283	283	11 1/8	Concave	Semi-Ballastic
28	DHD 380-Bit-CC-SB-286	286	11 1/4	Concave	Semi-Ballastic
29	DHD 380-Bit-CC-SB-289	289	11 3/8	Concave	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
30	DHD 380-Bit-CC-SB-292	292	11 1/2	Concave	Semi-Ballastic
31	DHD 380-Bit-CC-SB-295	295	11 5/8	Concave	Semi-Ballastic
32	DHD 380-Bit-CC-SB-298	298	11 3/4	Concave	Semi-Ballastic
33	DHD 380-Bit-CC-SB-302	302	11 7/8	Concave	Semi-Ballastic
34	DHD 380-Bit-CC-SB-305	305	12	Concave	Semi-Ballastic
35	DHD 380-Bit-CV-SB-200	200	7 7/8	Convex	Semi-Ballastic
36	DHD 380-Bit-CV-SB-203	203	8	Convex	Semi-Ballastic
37	DHD 380-Bit-CV-SB-206	206	8 1/9	Convex	Semi-Ballastic
38	DHD 380-Bit-CV-SB-210	210	8 1/4	Convex	Semi-Ballastic
39	DHD 380-Bit-CV-SB-213	213	8 2/5	Convex	Semi-Ballastic
40	DHD 380-Bit-CV-SB-216	216	8 1/2	Convex	Semi-Ballastic
41	DHD 380-Bit-CV-SB-219	219	8 5/8	Convex	Semi-Ballastic
42	DHD 380-Bit-CV-SB-222	222	8 3/4	Convex	Semi-Ballastic
43	DHD 380-Bit-CV-SB-225	225	8 6/7	Convex	Semi-Ballastic
44	DHD 380-Bit-CV-SB-229	229	9	Convex	Semi-Ballastic
45	DHD 380-Bit-CV-SB-232	232	9 1/8	Convex	Semi-Ballastic
46	DHD 380-Bit-CV-SB-235	235	9 1/4	Convex	Semi-Ballastic
47	DHD 380-Bit-CV-SB-238	238	9 3/8	Convex	Semi-Ballastic
48	DHD 380-Bit-CV-SB-241	241	9 1/2	Convex	Semi-Ballastic
49	DHD 380-Bit-CV-SB-244	244	9 5/8	Convex	Semi-Ballastic
50	DHD 380-Bit-CV-SB-248	248	9 3/4	Convex	Semi-Ballastic
51	DHD 380-Bit-CV-SB-251	251	9 7/8	Convex	Semi-Ballastic
52	DHD 380-Bit-CV-SB-254	254	10	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
53	DHD 380-Bit-CV-SB-257	257	10 1/8	Convex	Semi-Ballastic
54	DHD 380-Bit-CV-SB-260	260	10 1/4	Convex	Semi-Ballastic
55	DHD 380-Bit-CV-SB-264	264	10 3/8	Convex	Semi-Ballastic
56	DHD 380-Bit-CV-SB-267	267	10 1/2	Convex	Semi-Ballastic
57	DHD 380-Bit-CV-SB-270	270	10 5/8	Convex	Semi-Ballastic
58	DHD 380-Bit-CV-SB-273	273	10 3/4	Convex	Semi-Ballastic
59	DHD 380-Bit-CV-SB-276	276	10 7/8	Convex	Semi-Ballastic
60	DHD 380-Bit-CV-SB-279	279	11	Convex	Semi-Ballastic
61	DHD 380-Bit-CV-SB-283	283	11 1/8	Convex	Semi-Ballastic
62	DHD 380-Bit-CV-SB-286	286	11 1/4	Convex	Semi-Ballastic
63	DHD 380-Bit-CV-SB-289	289	11 3/8	Convex	Semi-Ballastic
64	DHD 380-Bit-CV-SB-292	292	11 1/2	Convex	Semi-Ballastic
65	DHD 380-Bit-CV-SB-295	295	11 5/8	Convex	Semi-Ballastic
66	DHD 380-Bit-CV-SB-298	298	11 3/4	Convex	Semi-Ballastic
67	DHD 380-Bit-CV-SB-302	302	11 7/8	Convex	Semi-Ballastic
68	DHD 380-Bit-CV-SB-305	305	12	Convex	Semi-Ballastic
69	DHD 380-Bit-FLT-SB-200	200	7 7/8	Flat	Semi-Ballastic
70	DHD 380-Bit-FLT-SB-203	203	8	Flat	Semi-Ballastic
71	DHD 380-Bit-FLT-SB-206	206	8 1/9	Flat	Semi-Ballastic
72	DHD 380-Bit-FLT-SB-210	210	8 1/4	Flat	Semi-Ballastic
73	DHD 380-Bit-FLT-SB-213	213	8 2/5	Flat	Semi-Ballastic
74	DHD 380-Bit-FLT-SB-216	216	8 1/2	Flat	Semi-Ballastic
75	DHD 380-Bit-FLT-SB-219	219	8 5/8	Flat	Semi-Ballastic
76	DHD 380-Bit-FLT-SB-222	222	8 3/4	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
77	DHD 380-Bit-FLT-SB-225	225	8 6/7	Flat	Semi-Ballastic
78	DHD 380-Bit-FLT-SB-229	229	9	Flat	Semi-Ballastic
79	DHD 380-Bit-FLT-SB-232	232	9 1/7	Flat	Semi-Ballastic
80	DHD 380-Bit-FLT-SB-235	235	9 1/4	Flat	Semi-Ballastic
81	DHD 380-Bit-FLT-SB-238	238	9 3/8	Flat	Semi-Ballastic
82	DHD 380-Bit-FLT-SB-241	241	9 1/2	Flat	Semi-Ballastic
83	DHD 380-Bit-FLT-SB-244	244	9 5/8	Flat	Semi-Ballastic
84	DHD 380-Bit-FLT-SB-248	248	9 3/4	Flat	Semi-Ballastic
85	DHD 380-Bit-FLT-SB-251	251	9 7/8	Flat	Semi-Ballastic
86	DHD 380-Bit-FLT-SB-254	254	10	Flat	Semi-Ballastic
87	DHD 380-Bit-FLT-SB-257	257	10 1/8	Flat	Semi-Ballastic
88	DHD 380-Bit-FLT-SB-260	260	10 1/4	Flat	Semi-Ballastic
89	DHD 380-Bit-FLT-SB-264	264	10 3/8	Flat	Semi-Ballastic
90	DHD 380-Bit-FLT-SB-267	267	10 1/2	Flat	Semi-Ballastic
91	DHD 380-Bit-FLT-SB-270	270	10 5/8	Flat	Semi-Ballastic
92	DHD 380-Bit-FLT-SB-273	273	10 3/4	Flat	Semi-Ballastic
93	DHD 380-Bit-FLT-SB-276	276	10 7/8	Flat	Semi-Ballastic
94	DHD 380-Bit-FLT-SB-279	279	11	Flat	Semi-Ballastic
95	DHD 380-Bit-FLT-SB-283	283	11 1/8	Flat	Semi-Ballastic
96	DHD 380-Bit-FLT-SB-286	286	11 1/4	Flat	Semi-Ballastic
97	DHD 380-Bit-FLT-SB-289	289	11 3/8	Flat	Semi-Ballastic
98	DHD 380-Bit-FLT-SB-292	292	11 1/2	Flat	Semi-Ballastic
99	DHD 380-Bit-FLT-SB-295	295	11 5/8	Flat	Semi-Ballastic
100	DHD 380-Bit-FLT-SB-298	298	11 3/4	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
101	DHD 380-Bit-FLT-SB-302	302	11 7/8	Flat	Semi-Ballastic
102	DHD 380-Bit-FLT-SB-305	305	12	Flat	Semi-Ballastic
103	DHD 380-Bit-CC-HEM-200	200	7 7/8	Concave	Hemispherical
104	DHD 380-Bit-CC-HEM-203	203	8	Concave	Hemispherical
105	DHD 380-Bit-CC-HEM-206	206	8 1/9	Concave	Hemispherical
106	DHD 380-Bit-CC-HEM-210	210	8 1/4	Concave	Hemispherical
107	DHD 380-Bit-CC-HEM-213	213	8 2/5	Concave	Hemispherical
108	DHD 380-Bit-CC-HEM-216	216	8 1/2	Concave	Hemispherical
109	DHD 380-Bit-CC-HEM-219	219	8 5/8	Concave	Hemispherical
110	DHD 380-Bit-CC-HEM-222	222	8 3/4	Concave	Hemispherical
111	DHD 380-Bit-CC-HEM-225	225	8 6/7	Concave	Hemispherical
112	DHD 380-Bit-CC-HEM-229	229	9	Concave	Hemispherical
113	DHD 380-Bit-CC-HEM-232	232	9 1/7	Concave	Hemispherical
114	DHD 380-Bit-CC-HEM-235	235	9 1/4	Concave	Hemispherical
115	DHD 380-Bit-CC-HEM-238	238	9 3/8	Concave	Hemispherical
116	DHD 380-Bit-CC-HEM-241	241	9 1/2	Concave	Hemispherical
117	DHD 380-Bit-CC-HEM-244	244	9 5/8	Concave	Hemispherical
118	DHD 380-Bit-CC-HEM-248	248	9 3/4	Concave	Hemispherical
119	DHD 380-Bit-CC-HEM-251	251	9 7/8	Concave	Hemispherical
120	DHD 380-Bit-CC-HEM-254	254	10	Concave	Hemispherical
121	DHD 380-Bit-CC-HEM-257	257	10 1/8	Concave	Hemispherical
122	DHD 380-Bit-CC-HEM-260	260	10 1/4	Concave	Hemispherical
123	DHD 380-Bit-CC-HEM-264	264	10 3/8	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
124	DHD 380-Bit-CC-HEM-267	267	10 1/2	Concave	Hemispherical
125	DHD 380-Bit-CC-HEM-270	270	10 5/8	Concave	Hemispherical
126	DHD 380-Bit-CC-HEM-273	273	10 3/4	Concave	Hemispherical
127	DHD 380-Bit-CC-HEM-276	276	10 7/8	Concave	Hemispherical
128	DHD 380-Bit-CC-HEM-279	279	11	Concave	Hemispherical
129	DHD 380-Bit-CC-HEM-283	283	11 1/8	Concave	Hemispherical
130	DHD 380-Bit-CC-HEM-286	286	11 1/4	Concave	Hemispherical
131	DHD 380-Bit-CC-HEM-289	289	11 3/8	Concave	Hemispherical
132	DHD 380-Bit-CC-HEM-292	292	11 1/2	Concave	Hemispherical
133	DHD 380-Bit-CC-HEM-295	295	11 5/8	Concave	Hemispherical
134	DHD 380-Bit-CC-HEM-298	298	11 3/4	Concave	Hemispherical
135	DHD 380-Bit-CC-HEM-302	302	11 7/8	Concave	Hemispherical
136	DHD 380-Bit-CC-HEM-305	305	12	Concave	Hemispherical
137	DHD 380-Bit-CV-HEM-200	200	7 7/8	Convex	Hemispherical
138	DHD 380-Bit-CV-HEM-203	203	8	Convex	Hemispherical
139	DHD 380-Bit-CV-HEM-206	206	8 1/9	Convex	Hemispherical
140	DHD 380-Bit-CV-HEM-210	210	8 1/4	Convex	Hemispherical
141	DHD 380-Bit-CV-HEM-213	213	8 2/5	Convex	Hemispherical
142	DHD 380-Bit-CV-HEM-216	216	8 1/2	Convex	Hemispherical
143	DHD 380-Bit-CV-HEM-219	219	8 5/8	Convex	Hemispherical
144	DHD 380-Bit-CV-HEM-222	222	8 3/4	Convex	Hemispherical
145	DHD 380-Bit-CV-HEM-225	225	8 6/7	Convex	Hemispherical
146	DHD 380-Bit-CV-HEM-229	229	9	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
147	DHD 380-Bit-CV-HEM-232	232	9 1/7	Convex	Hemispherical
148	DHD 380-Bit-CV-HEM-235	235	9 1/4	Convex	Hemispherical
149	DHD 380-Bit-CV-HEM-238	238	9 3/8	Convex	Hemispherical
150	DHD 380-Bit-CV-HEM-241	241	9 1/2	Convex	Hemispherical
151	DHD 380-Bit-CV-HEM-244	244	9 5/8	Convex	Hemispherical
152	DHD 380-Bit-CV-HEM-248	248	9 3/4	Convex	Hemispherical
153	DHD 380-Bit-CV-HEM-251	251	9 7/8	Convex	Hemispherical
154	DHD 380-Bit-CV-HEM-254	254	10	Convex	Hemispherical
155	DHD 380-Bit-CV-HEM-257	257	10 1/8	Convex	Hemispherical
156	DHD 380-Bit-CV-HEM-260	260	10 1/4	Convex	Hemispherical
157	DHD 380-Bit-CV-HEM-264	264	10 3/8	Convex	Hemispherical
158	DHD 380-Bit-CV-HEM-267	267	10 1/2	Convex	Hemispherical
159	DHD 380-Bit-CV-HEM-270	270	10 5/8	Convex	Hemispherical
160	DHD 380-Bit-CV-HEM-273	273	10 3/4	Convex	Hemispherical
161	DHD 380-Bit-CV-HEM-276	276	10 7/8	Convex	Hemispherical
162	DHD 380-Bit-CV-HEM-279	279	11	Convex	Hemispherical
163	DHD 380-Bit-CV-HEM-283	283	11 1/8	Convex	Hemispherical
164	DHD 380-Bit-CV-HEM-286	286	11 1/4	Convex	Hemispherical
165	DHD 380-Bit-CV-HEM-289	289	11 3/8	Convex	Hemispherical
166	DHD 380-Bit-CV-HEM-292	292	11 1/2	Convex	Hemispherical
167	DHD 380-Bit-CV-HEM-295	295	11 5/8	Convex	Hemispherical
168	DHD 380-Bit-CV-HEM-298	298	11 3/4	Convex	Hemispherical
169	DHD 380-Bit-CV-HEM-302	302	11 7/8	Convex	Hemispherical
170	DHD 380-Bit-CV-HEM-305	305	12	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
171	DHD 380-Bit-FLT-HEM-200	200	7 7/8	Flat	Hemispherical
172	DHD 380-Bit-FLT-HEM-203	203	8	Flat	Hemispherical
173	DHD 380-Bit-FLT-HEM-206	206	8 1/9	Flat	Hemispherical
174	DHD 380-Bit-FLT-HEM-210	210	8 1/4	Flat	Hemispherical
175	DHD 380-Bit-FLT-HEM-213	213	8 2/5	Flat	Hemispherical
176	DHD 380-Bit-FLT-HEM-216	216	8 1/2	Flat	Hemispherical
177	DHD 380-Bit-FLT-HEM-219	219	8 5/8	Flat	Hemispherical
178	DHD 380-Bit-FLT-HEM-222	222	8 3/4	Flat	Hemispherical
179	DHD 380-Bit-FLT-HEM-225	225	8 6/7	Flat	Hemispherical
180	DHD 380-Bit-FLT-HEM-229	229	9	Flat	Hemispherical
181	DHD 380-Bit-FLT-HEM-232	232	9 1/7	Flat	Hemispherical
182	DHD 380-Bit-FLT-HEM-235	235	9 1/4	Flat	Hemispherical
183	DHD 380-Bit-FLT-HEM-238	238	9 3/8	Flat	Hemispherical
184	DHD 380-Bit-FLT-HEM-241	241	9 1/2	Flat	Hemispherical
185	DHD 380-Bit-FLT-HEM-244	244	9 5/8	Flat	Hemispherical
186	DHD 380-Bit-FLT-HEM-248	248	9 3/4	Flat	Hemispherical
187	DHD 380-Bit-FLT-HEM-251	251	9 7/8	Flat	Hemispherical
188	DHD 380-Bit-FLT-HEM-254	254	10	Flat	Hemispherical
189	DHD 380-Bit-FLT-HEM-257	257	10 1/8	Flat	Hemispherical
190	DHD 380-Bit-FLT-HEM-260	260	10 1/4	Flat	Hemispherical
191	DHD 380-Bit-FLT-HEM-264	264	10 3/8	Flat	Hemispherical
192	DHD 380-Bit-FLT-HEM-267	267	10 1/2	Flat	Hemispherical
193	DHD 380-Bit-FLT-HEM-270	270	10 5/8	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design	
194	DHD 380-Bit-FLT-HEM-273	273	10 3/4	Flat	Hemispherical	
195	DHD 380-Bit-FLT-HEM-276	276	10 7/8	Flat	Hemispherical	
196	DHD 380-Bit-FLT-HEM-279	279	11	Flat	Hemispherical	
197	DHD 380-Bit-FLT-HEM-283	283	11 1/8	Flat	Hemispherical	
198	DHD 380-Bit-FLT-HEM-286	286	11 1/4	Flat	Hemispherical	
199	DHD 380-Bit-FLT-HEM-289	289	11 3/8	Flat	Hemispherical	
200	DHD 380-Bit-FLT-HEM-292	292	11 1/2	Flat	Hemispherical	
201	DHD 380-Bit-FLT-HEM-295	295	11 5/8	Flat	Hemispherical	
202	DHD 380-Bit-FLT-HEM-298	298	11 3/4	Flat	Hemispherical	
203	DHD 380-Bit-FLT-HEM-302	302	11 7/8	Flat	Hemispherical	
204	DHD 380-Bit-FLT-HEM-305	305	12	Flat	Hemispherical	
G	RockSmith Hammer Product Number	DTHHAM10				
	Bit Shank	SD10				
	Top Thread	6-5/8" API Reg Pin				
	Total Approx Length (L) mm	1450				
	Outside Diameter (D1) mm Approx	225				
	Drill Bits					
		Bit Shank	SD10			
	Spline Number	8				
1	SD10-Bit-CC-SB-254	254	10	Concave	Semi-Ballastic	
2	SD10-Bit-CC-SB-257	257	10 1/8	Concave	Semi-Ballastic	
3	SD10-Bit-CC-SB-260	260	10 1/4	Concave	Semi-Ballastic	

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
4	SD10-Bit-CC-SB-264	264	10 3/8	Concave	Semi-Ballastic
5	SD10-Bit-CC-SB-267	267	10 1/2	Concave	Semi-Ballastic
6	SD10-Bit-CC-SB-270	270	10 5/8	Concave	Semi-Ballastic
7	SD10-Bit-CC-SB-273	273	10 3/4	Concave	Semi-Ballastic
8	SD10-Bit-CC-SB-276	276	10 7/8	Concave	Semi-Ballastic
9	SD10-Bit-CC-SB-279	279	11	Concave	Semi-Ballastic
10	SD10-Bit-CC-SB-283	283	11 1/8	Concave	Semi-Ballastic
11	SD10-Bit-CC-SB-286	286	11 1/4	Concave	Semi-Ballastic
12	SD10-Bit-CC-SB-289	289	11 3/8	Concave	Semi-Ballastic
13	SD10-Bit-CC-SB-292	292	11 1/2	Concave	Semi-Ballastic
14	SD10-Bit-CC-SB-295	295	11 5/8	Concave	Semi-Ballastic
15	SD10-Bit-CC-SB-298	298	11 3/4	Concave	Semi-Ballastic
16	SD10-Bit-CC-SB-302	302	11 7/8	Concave	Semi-Ballastic
17	SD10-Bit-CC-SB-305	305	12	Concave	Semi-Ballastic
18	SD10-Bit-CC-SB-308	308	12 1/8	Concave	Semi-Ballastic
19	SD10-Bit-CC-SB-311	311	12 1/4	Concave	Semi-Ballastic
20	SD10-Bit-CC-SB-314	314	12 3/8	Concave	Semi-Ballastic
21	SD10-Bit-CC-SB-318	318	12 1/2	Concave	Semi-Ballastic
22	SD10-Bit-CC-SB-321	321	12 5/8	Concave	Semi-Ballastic
23	SD10-Bit-CC-SB-324	324	12 3/4	Concave	Semi-Ballastic
24	SD10-Bit-CC-SB-327	327	12 7/8	Concave	Semi-Ballastic
25	SD10-Bit-CC-SB-330	330	13	Concave	Semi-Ballastic
26	SD10-Bit-CC-SB-333	333	13 1/8	Concave	Semi-Ballastic
27	SD10-Bit-CC-SB-337	337	13 1/4	Concave	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
28	SD10-Bit-CC-SB-340	340	13 2/5	Concave	Semi-Ballastic
29	SD10-Bit-CC-SB-343	343	13 1/2	Concave	Semi-Ballastic
30	SD10-Bit-CC-SB-346	346	13 5/8	Concave	Semi-Ballastic
31	SD10-Bit-CC-SB-349	349	13 3/4	Concave	Semi-Ballastic
32	SD10-Bit-CC-SB-352	352	13 7/8	Concave	Semi-Ballastic
33	SD10-Bit-CC-SB-356	356	14	Concave	Semi-Ballastic
34	SD10-Bit-CC-SB-359	359	14 1/8	Concave	Semi-Ballastic
35	SD10-Bit-CC-SB-362	362	14 1/4	Concave	Semi-Ballastic
36	SD10-Bit-CC-SB-365	365	14 3/8	Concave	Semi-Ballastic
37	SD10-Bit-CC-SB-368	368	14 1/2	Concave	Semi-Ballastic
38	SD10-Bit-CC-SB-371	371	14 5/8	Concave	Semi-Ballastic
39	SD10-Bit-CC-SB-375	375	14 3/4	Concave	Semi-Ballastic
40	SD10-Bit-CC-SB-378	378	14 7/8	Concave	Semi-Ballastic
41	SD10-Bit-CC-SB-381	381	15	Concave	Semi-Ballastic
42	SD10-Bit-CV-SB-254	254	10	Convex	Semi-Ballastic
43	SD10-Bit-CV-SB-257	257	10 1/8	Convex	Semi-Ballastic
44	SD10-Bit-CV-SB-260	260	10 1/4	Convex	Semi-Ballastic
45	SD10-Bit-CV-SB-264	264	10 3/8	Convex	Semi-Ballastic
46	SD10-Bit-CV-SB-267	267	10 1/2	Convex	Semi-Ballastic
47	SD10-Bit-CV-SB-270	270	10 5/8	Convex	Semi-Ballastic
48	SD10-Bit-CV-SB-273	273	10 3/4	Convex	Semi-Ballastic
49	SD10-Bit-CV-SB-276	276	10 7/8	Convex	Semi-Ballastic
50	SD10-Bit-CV-SB-279	279	11	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
51	SD10-Bit-CV-SB-283	283	11 1/8	Convex	Semi-Ballastic
52	SD10-Bit-CV-SB-286	286	11 1/4	Convex	Semi-Ballastic
53	SD10-Bit-CV-SB-289	289	11 3/8	Convex	Semi-Ballastic
54	SD10-Bit-CV-SB-292	292	11 1/2	Convex	Semi-Ballastic
55	SD10-Bit-CV-SB-295	295	11 5/8	Convex	Semi-Ballastic
56	SD10-Bit-CV-SB-298	298	11 3/4	Convex	Semi-Ballastic
57	SD10-Bit-CV-SB-302	302	11 7/8	Convex	Semi-Ballastic
58	SD10-Bit-CV-SB-305	305	12	Convex	Semi-Ballastic
59	SD10-Bit-CV-SB-308	308	12 1/8	Convex	Semi-Ballastic
60	SD10-Bit-CV-SB-311	311	12 1/4	Convex	Semi-Ballastic
61	SD10-Bit-CV-SB-314	314	12 3/8	Convex	Semi-Ballastic
62	SD10-Bit-CV-SB-318	318	12 1/2	Convex	Semi-Ballastic
63	SD10-Bit-CV-SB-321	321	12 5/8	Convex	Semi-Ballastic
64	SD10-Bit-CV-SB-324	324	12 3/4	Convex	Semi-Ballastic
65	SD10-Bit-CV-SB-327	327	12 7/8	Convex	Semi-Ballastic
66	SD10-Bit-CV-SB-330	330	13	Convex	Semi-Ballastic
67	SD10-Bit-CV-SB-333	333	13 1/8	Convex	Semi-Ballastic
68	SD10-Bit-CV-SB-337	337	13 1/4	Convex	Semi-Ballastic
69	SD10-Bit-CV-SB-340	340	13 2/5	Convex	Semi-Ballastic
70	SD10-Bit-CV-SB-343	343	13 1/2	Convex	Semi-Ballastic
71	SD10-Bit-CV-SB-346	346	13 5/8	Convex	Semi-Ballastic
72	SD10-Bit-CV-SB-349	349	13 3/4	Convex	Semi-Ballastic
73	SD10-Bit-CV-SB-352	352	13 7/8	Convex	Semi-Ballastic
74	SD10-Bit-CV-SB-356	356	14	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
75	SD10-Bit-CV-SB-359	359	14 1/8	Convex	Semi-Ballastic
76	SD10-Bit-CV-SB-362	362	14 1/4	Convex	Semi-Ballastic
77	SD10-Bit-CV-SB-365	365	14 3/8	Convex	Semi-Ballastic
78	SD10-Bit-CV-SB-368	368	14 1/2	Convex	Semi-Ballastic
79	SD10-Bit-CV-SB-371	371	14 5/8	Convex	Semi-Ballastic
80	SD10-Bit-CV-SB-375	375	14 3/4	Convex	Semi-Ballastic
81	SD10-Bit-CV-SB-378	378	14 7/8	Convex	Semi-Ballastic
82	SD10-Bit-CV-SB-381	381	15	Convex	Semi-Ballastic
83	SD10-Bit-FLT-SB-254	254	10	Flat	Semi-Ballastic
84	SD10-Bit-FLT-SB-257	257	10 1/8	Flat	Semi-Ballastic
85	SD10-Bit-FLT-SB-260	260	10 1/4	Flat	Semi-Ballastic
86	SD10-Bit-FLT-SB-264	264	10 3/8	Flat	Semi-Ballastic
87	SD10-Bit-FLT-SB-267	267	10 1/2	Flat	Semi-Ballastic
88	SD10-Bit-FLT-SB-270	270	10 5/8	Flat	Semi-Ballastic
89	SD10-Bit-FLT-SB-273	273	10 3/4	Flat	Semi-Ballastic
90	SD10-Bit-FLT-SB-276	276	10 7/8	Flat	Semi-Ballastic
91	SD10-Bit-FLT-SB-279	279	11	Flat	Semi-Ballastic
92	SD10-Bit-FLT-SB-283	283	11 1/8	Flat	Semi-Ballastic
93	SD10-Bit-FLT-SB-286	286	11 1/4	Flat	Semi-Ballastic
94	SD10-Bit-FLT-SB-289	289	11 3/8	Flat	Semi-Ballastic
95	SD10-Bit-FLT-SB-292	292	11 1/2	Flat	Semi-Ballastic
96	SD10-Bit-FLT-SB-295	295	11 5/8	Flat	Semi-Ballastic
97	SD10-Bit-FLT-SB-298	298	11 3/4	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
98	SD10-Bit-FLT-SB-302	302	11 7/8	Flat	Semi-Ballastic
99	SD10-Bit-FLT-SB-305	305	12	Flat	Semi-Ballastic
100	SD10-Bit-FLT-SB-308	308	12 1/8	Flat	Semi-Ballastic
101	SD10-Bit-FLT-SB-311	311	12 1/4	Flat	Semi-Ballastic
102	SD10-Bit-FLT-SB-314	314	12 3/8	Flat	Semi-Ballastic
103	SD10-Bit-FLT-SB-318	318	12 1/2	Flat	Semi-Ballastic
104	SD10-Bit-FLT-SB-321	321	12 5/8	Flat	Semi-Ballastic
105	SD10-Bit-FLT-SB-324	324	12 3/4	Flat	Semi-Ballastic
106	SD10-Bit-FLT-SB-327	327	12 7/8	Flat	Semi-Ballastic
107	SD10-Bit-FLT-SB-330	330	13	Flat	Semi-Ballastic
108	SD10-Bit-FLT-SB-333	333	13 1/8	Flat	Semi-Ballastic
109	SD10-Bit-FLT-SB-337	337	13 1/4	Flat	Semi-Ballastic
110	SD10-Bit-FLT-SB-340	340	13 2/5	Flat	Semi-Ballastic
111	SD10-Bit-FLT-SB-343	343	13 1/2	Flat	Semi-Ballastic
112	SD10-Bit-FLT-SB-346	346	13 5/8	Flat	Semi-Ballastic
113	SD10-Bit-FLT-SB-349	349	13 3/4	Flat	Semi-Ballastic
114	SD10-Bit-FLT-SB-352	352	13 7/8	Flat	Semi-Ballastic
115	SD10-Bit-FLT-SB-356	356	14	Flat	Semi-Ballastic
116	SD10-Bit-FLT-SB-359	359	14 1/8	Flat	Semi-Ballastic
117	SD10-Bit-FLT-SB-362	362	14 1/4	Flat	Semi-Ballastic
118	SD10-Bit-FLT-SB-365	365	14 3/8	Flat	Semi-Ballastic
119	SD10-Bit-FLT-SB-368	368	14 1/2	Flat	Semi-Ballastic
120	SD10-Bit-FLT-SB-371	371	14 5/8	Flat	Semi-Ballastic
121	SD10-Bit-FLT-SB-375	375	14 3/4	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
122	SD10-Bit-FLT-SB-378	378	14 7/8	Flat	Semi-Ballastic
123	SD10-Bit-FLT-SB-381	381	15	Flat	Semi-Ballastic
124	SD10-Bit-CC-HEM-254	254	10	Concave	Hemispherical
125	SD10-Bit-CC-HEM-257	257	10 1/8	Concave	Hemispherical
126	SD10-Bit-CC-HEM-260	260	10 1/4	Concave	Hemispherical
127	SD10-Bit-CC-HEM-264	264	10 3/8	Concave	Hemispherical
128	SD10-Bit-CC-HEM-267	267	10 1/2	Concave	Hemispherical
129	SD10-Bit-CC-HEM-270	270	10 5/8	Concave	Hemispherical
130	SD10-Bit-CC-HEM-273	273	10 3/4	Concave	Hemispherical
131	SD10-Bit-CC-HEM-276	276	10 7/8	Concave	Hemispherical
132	SD10-Bit-CC-HEM-279	279	11	Concave	Hemispherical
133	SD10-Bit-CC-HEM-283	283	11 1/8	Concave	Hemispherical
134	SD10-Bit-CC-HEM-286	286	11 1/4	Concave	Hemispherical
135	SD10-Bit-CC-HEM-289	289	11 3/8	Concave	Hemispherical
136	SD10-Bit-CC-HEM-292	292	11 1/2	Concave	Hemispherical
137	SD10-Bit-CC-HEM-295	295	11 5/8	Concave	Hemispherical
138	SD10-Bit-CC-HEM-298	298	11 3/4	Concave	Hemispherical
139	SD10-Bit-CC-HEM-302	302	11 7/8	Concave	Hemispherical
140	SD10-Bit-CC-HEM-305	305	12	Concave	Hemispherical
141	SD10-Bit-CC-HEM-308	308	12 1/8	Concave	Hemispherical
142	SD10-Bit-CC-HEM-311	311	12 1/4	Concave	Hemispherical
143	SD10-Bit-CC-HEM-314	314	12 3/8	Concave	Hemispherical
144	SD10-Bit-CC-HEM-318	318	12 1/2	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
145	SD10-Bit-CC-HEM-321	321	12 5/8	Concave	Hemispherical
146	SD10-Bit-CC-HEM-324	324	12 3/4	Concave	Hemispherical
147	SD10-Bit-CC-HEM-327	327	12 7/8	Concave	Hemispherical
148	SD10-Bit-CC-HEM-330	330	13	Concave	Hemispherical
149	SD10-Bit-CC-HEM-333	333	13 1/8	Concave	Hemispherical
150	SD10-Bit-CC-HEM-337	337	13 1/4	Concave	Hemispherical
151	SD10-Bit-CC-HEM-340	340	13 2/5	Concave	Hemispherical
152	SD10-Bit-CC-HEM-343	343	13 1/2	Concave	Hemispherical
153	SD10-Bit-CC-HEM-346	346	13 5/8	Concave	Hemispherical
154	SD10-Bit-CC-HEM-349	349	13 3/4	Concave	Hemispherical
155	SD10-Bit-CC-HEM-352	352	13 7/8	Concave	Hemispherical
156	SD10-Bit-CC-HEM-356	356	14	Concave	Hemispherical
157	SD10-Bit-CC-HEM-359	359	14 1/8	Concave	Hemispherical
158	SD10-Bit-CC-HEM-362	362	14 1/4	Concave	Hemispherical
159	SD10-Bit-CC-HEM-365	365	14 3/8	Concave	Hemispherical
160	SD10-Bit-CC-HEM-368	368	14 1/2	Concave	Hemispherical
161	SD10-Bit-CC-HEM-371	371	14 5/8	Concave	Hemispherical
162	SD10-Bit-CC-HEM-375	375	14 3/4	Concave	Hemispherical
163	SD10-Bit-CC-HEM-378	378	14 7/8	Concave	Hemispherical
164	SD10-Bit-CC-HEM-381	378	14 7/8	Concave	Hemispherical
165	SD10-Bit-CV-HEM-254	254	10	Convex	Hemispherical
166	SD10-Bit-CV-HEM-257	257	10 1/8	Convex	Hemispherical
167	SD10-Bit-CV-HEM-260	260	10 1/4	Convex	Hemispherical
168	SD10-Bit-CV-HEM-264	264	10 3/8	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
169	SD10-Bit-CV-HEM-267	267	10 1/2	Convex	Hemispherical
170	SD10-Bit-CV-HEM-270	270	10 5/8	Convex	Hemispherical
171	SD10-Bit-CV-HEM-273	273	10 3/4	Convex	Hemispherical
172	SD10-Bit-CV-HEM-276	276	10 7/8	Convex	Hemispherical
173	SD10-Bit-CV-HEM-279	279	11	Convex	Hemispherical
174	SD10-Bit-CV-HEM-283	283	11 1/8	Convex	Hemispherical
175	SD10-Bit-CV-HEM-286	286	11 1/4	Convex	Hemispherical
176	SD10-Bit-CV-HEM-289	289	11 3/8	Convex	Hemispherical
177	SD10-Bit-CV-HEM-292	292	11 1/2	Convex	Hemispherical
178	SD10-Bit-CV-HEM-295	295	11 5/8	Convex	Hemispherical
179	SD10-Bit-CV-HEM-298	298	11 3/4	Convex	Hemispherical
180	SD10-Bit-CV-HEM-302	302	11 7/8	Convex	Hemispherical
181	SD10-Bit-CV-HEM-305	305	12	Convex	Hemispherical
182	SD10-Bit-CV-HEM-308	308	12 1/8	Convex	Hemispherical
183	SD10-Bit-CV-HEM-311	311	12 1/4	Convex	Hemispherical
184	SD10-Bit-CV-HEM-314	314	12 3/8	Convex	Hemispherical
185	SD10-Bit-CV-HEM-318	318	12 1/2	Convex	Hemispherical
186	SD10-Bit-CV-HEM-321	321	12 5/8	Convex	Hemispherical
187	SD10-Bit-CV-HEM-324	324	12 3/4	Convex	Hemispherical
188	SD10-Bit-CV-HEM-327	327	12 7/8	Convex	Hemispherical
189	SD10-Bit-CV-HEM-330	330	13	Convex	Hemispherical
190	SD10-Bit-CV-HEM-333	333	13 1/8	Convex	Hemispherical
191	SD10-Bit-CV-HEM-337	337	13 1/4	Convex	Hemispherical
192	SD10-Bit-CV-HEM-340	340	13 2/5	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
193	SD10-Bit-CV-HEM-343	343	13 1/2	Convex	Hemispherical
194	SD10-Bit-CV-HEM-346	346	13 5/8	Convex	Hemispherical
195	SD10-Bit-CV-HEM-349	349	13 3/4	Convex	Hemispherical
196	SD10-Bit-CV-HEM-352	352	13 7/8	Convex	Hemispherical
197	SD10-Bit-CV-HEM-356	356	14	Convex	Hemispherical
198	SD10-Bit-CV-HEM-359	359	14 1/8	Convex	Hemispherical
199	SD10-Bit-CV-HEM-362	362	14 1/4	Convex	Hemispherical
200	SD10-Bit-CV-HEM-365	365	14 3/8	Convex	Hemispherical
201	SD10-Bit-CV-HEM-368	368	14 1/2	Convex	Hemispherical
202	SD10-Bit-CV-HEM-371	371	14 5/8	Convex	Hemispherical
203	SD10-Bit-CV-HEM-375	375	14 3/4	Convex	Hemispherical
204	SD10-Bit-CV-HEM-378	378	14 7/8	Convex	Hemispherical
205	SD10-Bit-CV-HEM-381	381	15	Convex	Hemispherical
206	SD10-Bit-FLT-HEM-254	254	10	Flat	Hemispherical
207	SD10-Bit-FLT-HEM-257	257	10 1/8	Flat	Hemispherical
208	SD10-Bit-FLT-HEM-260	260	10 1/4	Flat	Hemispherical
209	SD10-Bit-FLT-HEM-264	264	10 3/8	Flat	Hemispherical
210	SD10-Bit-FLT-HEM-267	267	10 1/2	Flat	Hemispherical
211	SD10-Bit-FLT-HEM-270	270	10 5/8	Flat	Hemispherical
212	SD10-Bit-FLT-HEM-273	273	10 3/4	Flat	Hemispherical
213	SD10-Bit-FLT-HEM-276	276	10 7/8	Flat	Hemispherical
214	SD10-Bit-FLT-HEM-279	279	11	Flat	Hemispherical
215	SD10-Bit-FLT-HEM-283	283	11 1/8	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
216	SD10-Bit-FLT-HEM-286	286	11 1/4	Flat	Hemispherical
217	SD10-Bit-FLT-HEM-289	289	11 3/8	Flat	Hemispherical
218	SD10-Bit-FLT-HEM-292	292	11 1/2	Flat	Hemispherical
219	SD10-Bit-FLT-HEM-295	295	11 5/8	Flat	Hemispherical
220	SD10-Bit-FLT-HEM-298	298	11 3/4	Flat	Hemispherical
221	SD10-Bit-FLT-HEM-302	302	11 7/8	Flat	Hemispherical
222	SD10-Bit-FLT-HEM-305	305	12	Flat	Hemispherical
223	SD10-Bit-FLT-HEM-308	308	12 1/8	Flat	Hemispherical
224	SD10-Bit-FLT-HEM-311	311	12 1/4	Flat	Hemispherical
225	SD10-Bit-FLT-HEM-314	314	12 3/8	Flat	Hemispherical
226	SD10-Bit-FLT-HEM-318	318	12 1/2	Flat	Hemispherical
227	SD10-Bit-FLT-HEM-321	321	12 5/8	Flat	Hemispherical
228	SD10-Bit-FLT-HEM-324	324	12 3/4	Flat	Hemispherical
229	SD10-Bit-FLT-HEM-327	327	12 7/8	Flat	Hemispherical
230	SD10-Bit-FLT-HEM-330	330	13	Flat	Hemispherical
231	SD10-Bit-FLT-HEM-333	333	13 1/8	Flat	Hemispherical
232	SD10-Bit-FLT-HEM-337	337	13 1/4	Flat	Hemispherical
233	SD10-Bit-FLT-HEM-340	340	13 2/5	Flat	Hemispherical
234	SD10-Bit-FLT-HEM-343	343	13 1/2	Flat	Hemispherical
235	SD10-Bit-FLT-HEM-346	346	13 5/8	Flat	Hemispherical
236	SD10-Bit-FLT-HEM-349	349	13 3/4	Flat	Hemispherical
237	SD10-Bit-FLT-HEM-352	352	13 7/8	Flat	Hemispherical
238	SD10-Bit-FLT-HEM-356	356	14	Flat	Hemispherical
239	SD10-Bit-FLT-HEM-359	359	14 1/8	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design	
240	SD10-Bit-FLT-HEM-362	362	14 1/4	Flat	Hemispherical	
241	SD10-Bit-FLT-HEM-365	365	14 3/8	Flat	Hemispherical	
242	SD10-Bit-FLT-HEM-368	368	14 1/2	Flat	Hemispherical	
243	SD10-Bit-FLT-HEM-371	371	14 5/8	Flat	Hemispherical	
244	SD10-Bit-FLT-HEM-375	375	14 3/4	Flat	Hemispherical	
245	SD10-Bit-FLT-HEM-378	378	14 7/8	Flat	Hemispherical	
246	SD10-Bit-FLT-HEM-381	381	15	Flat	Hemispherical	
H	RockSmith Hammer Product Number	DTHHAM12				
	Bit Shank	SD12				
	Top Thread	6-5/8" API Reg Pin				
	Total Approx Length (L) mm	1789				
	Outside Diameter (D1) mm Approx	272				
	Drill Bits					
	Bit Shank	SD12				
	Spline Number	8				
1	SD12-Bit-CC-SB-302	302	11 8/9	Concave	Semi-Ballastic	
2	SD12-Bit-CC-SB-305	305	12	Concave	Semi-Ballastic	
3	SD12-Bit-CC-SB-308	308	12 1/8	Concave	Semi-Ballastic	
4	SD12-Bit-CC-SB-311	311	12 1/4	Concave	Semi-Ballastic	
5	SD12-Bit-CC-SB-314	314	12 1/3	Concave	Semi-Ballastic	
6	SD12-Bit-CC-SB-318	318	12 1/2	Concave	Semi-Ballastic	
7	SD12-Bit-CC-SB-321	321	12 5/8	Concave	Semi-Ballastic	
8	SD12-Bit-CC-SB-324	324	12 3/4	Concave	Semi-Ballastic	

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
9	SD12-Bit-CC-SB-327	327	12 7/8	Concave	Semi-Ballastic
10	SD12-Bit-CC-SB-330	330	13	Concave	Semi-Ballastic
11	SD12-Bit-CC-SB-333	333	13 1/8	Concave	Semi-Ballastic
12	SD12-Bit-CC-SB-337	337	13 1/4	Concave	Semi-Ballastic
13	SD12-Bit-CC-SB-340	340	13 3/8	Concave	Semi-Ballastic
14	SD12-Bit-CC-SB-343	343	13 1/2	Concave	Semi-Ballastic
15	SD12-Bit-CC-SB-346	346	13 5/8	Concave	Semi-Ballastic
16	SD12-Bit-CC-SB-349	349	13 3/4	Concave	Semi-Ballastic
17	SD12-Bit-CC-SB-352	352	13 7/8	Concave	Semi-Ballastic
18	SD12-Bit-CC-SB-356	356	14	Concave	Semi-Ballastic
19	SD12-Bit-CC-SB-359	359	14 1/8	Concave	Semi-Ballastic
20	SD12-Bit-CC-SB-362	362	14 1/4	Concave	Semi-Ballastic
21	SD12-Bit-CC-SB-365	365	14 3/8	Concave	Semi-Ballastic
22	SD12-Bit-CC-SB-368	368	14 1/2	Concave	Semi-Ballastic
23	SD12-Bit-CC-SB-371	371	14 5/8	Concave	Semi-Ballastic
24	SD12-Bit-CC-SB-375	375	14 3/4	Concave	Semi-Ballastic
25	SD12-Bit-CC-SB-378	378	14 7/8	Concave	Semi-Ballastic
26	SD12-Bit-CC-SB-381	381	15	Concave	Semi-Ballastic
27	SD12-Bit-CC-SB-384	384	15 1/8	Concave	Semi-Ballastic
28	SD12-Bit-CC-SB-387	387	15 1/4	Concave	Semi-Ballastic
29	SD12-Bit-CC-SB-391	391	15 2/5	Concave	Semi-Ballastic
30	SD12-Bit-CC-SB-394	394	15 1/2	Concave	Semi-Ballastic
31	SD12-Bit-CC-SB-397	397	15 5/8	Concave	Semi-Ballastic
32	SD12-Bit-CC-SB-400	400	15 3/4	Concave	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
33	SD12-Bit-CC-SB-403	403	15 7/8	Concave	Semi-Ballastic
34	SD12-Bit-CC-SB-406	406	16	Concave	Semi-Ballastic
35	SD12-Bit-CC-SB-410	410	16 1/8	Concave	Semi-Ballastic
36	SD12-Bit-CC-SB-413	413	16 1/4	Concave	Semi-Ballastic
37	SD12-Bit-CC-SB-416	416	16 3/8	Concave	Semi-Ballastic
38	SD12-Bit-CC-SB-419	419	16 1/2	Concave	Semi-Ballastic
39	SD12-Bit-CC-SB-422	422	16 5/8	Concave	Semi-Ballastic
40	SD12-Bit-CC-SB-425	425	16 3/4	Concave	Semi-Ballastic
41	SD12-Bit-CC-SB-429	429	16 7/8	Concave	Semi-Ballastic
42	SD12-Bit-CC-SB-432	432	17	Concave	Semi-Ballastic
43	SD12-Bit-CC-SB-435	435	17 1/8	Concave	Semi-Ballastic
44	SD12-Bit-CC-SB-438	438	17 1/4	Concave	Semi-Ballastic
45	SD12-Bit-CC-SB-441	441	17 3/8	Concave	Semi-Ballastic
46	SD12-Bit-CC-SB-445	445	17 1/2	Concave	Semi-Ballastic
47	SD12-Bit-CC-SB-448	448	17 5/8	Concave	Semi-Ballastic
48	SD12-Bit-CC-SB-451	451	17 3/4	Concave	Semi-Ballastic
49	SD12-Bit-CC-SB-454	454	17 7/8	Concave	Semi-Ballastic
50	SD12-Bit-CC-SB-457	457	18	Concave	Semi-Ballastic
51	SD12-Bit-CC-SB-483	483	19	Concave	Semi-Ballastic
52	SD12-Bit-CC-SB-508	508	20	Concave	Semi-Ballastic
53	SD12-Bit-CV-SB-302	302	11 8/9	Convex	Semi-Ballastic
54	SD12-Bit-CV-SB-305	305	12	Convex	Semi-Ballastic
55	SD12-Bit-CV-SB-308	308	12 1/8	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
56	SD12-Bit-CV-SB-311	311	12 1/4	Convex	Semi-Ballastic
57	SD12-Bit-CV-SB-314	315	12 2/5	Convex	Semi-Ballastic
58	SD12-Bit-CV-SB-318	318	12 1/2	Convex	Semi-Ballastic
59	SD12-Bit-CV-SB-321	321	12 5/8	Convex	Semi-Ballastic
60	SD12-Bit-CV-SB-324	324	12 3/4	Convex	Semi-Ballastic
61	SD12-Bit-CV-SB-327	327	12 7/8	Convex	Semi-Ballastic
62	SD12-Bit-CV-SB-330	330	13	Convex	Semi-Ballastic
63	SD12-Bit-CV-SB-333	333	13 1/8	Convex	Semi-Ballastic
64	SD12-Bit-CV-SB-337	337	13 1/4	Convex	Semi-Ballastic
65	SD12-Bit-CV-SB-340	340	13 3/8	Convex	Semi-Ballastic
66	SD12-Bit-CV-SB-343	343	13 1/2	Convex	Semi-Ballastic
67	SD12-Bit-CV-SB-346	346	13 5/8	Convex	Semi-Ballastic
68	SD12-Bit-CV-SB-349	349	13 3/4	Convex	Semi-Ballastic
69	SD12-Bit-CV-SB-352	352	13 7/8	Convex	Semi-Ballastic
70	SD12-Bit-CV-SB-356	356	14	Convex	Semi-Ballastic
71	SD12-Bit-CV-SB-359	359	14 1/8	Convex	Semi-Ballastic
72	SD12-Bit-CV-SB-362	362	14 1/4	Convex	Semi-Ballastic
73	SD12-Bit-CV-SB-365	365	14 3/8	Convex	Semi-Ballastic
74	SD12-Bit-CV-SB-368	368	14 1/2	Convex	Semi-Ballastic
75	SD12-Bit-CV-SB-371	371	14 5/8	Convex	Semi-Ballastic
76	SD12-Bit-CV-SB-375	375	14 3/4	Convex	Semi-Ballastic
77	SD12-Bit-CV-SB-378	378	14 7/8	Convex	Semi-Ballastic
78	SD12-Bit-CV-SB-381	381	15	Convex	Semi-Ballastic
79	SD12-Bit-CV-SB-384	384	15 1/8	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
80	SD12-Bit-CV-SB-387	387	15 1/4	Convex	Semi-Ballastic
81	SD12-Bit-CV-SB-391	391	15 2/5	Convex	Semi-Ballastic
82	SD12-Bit-CV-SB-394	394	15 1/2	Convex	Semi-Ballastic
83	SD12-Bit-CV-SB-397	397	15 5/8	Convex	Semi-Ballastic
84	SD12-Bit-CV-SB-400	400	15 3/4	Convex	Semi-Ballastic
85	SD12-Bit-CV-SB-403	403	15 7/8	Convex	Semi-Ballastic
86	SD12-Bit-CV-SB-406	406	16	Convex	Semi-Ballastic
87	SD12-Bit-CV-SB-410	410	16 1/8	Convex	Semi-Ballastic
88	SD12-Bit-CV-SB-413	413	16 1/4	Convex	Semi-Ballastic
89	SD12-Bit-CV-SB-416	416	16 3/8	Convex	Semi-Ballastic
90	SD12-Bit-CV-SB-419	419	16 1/2	Convex	Semi-Ballastic
91	SD12-Bit-CV-SB-422	422	16 5/8	Convex	Semi-Ballastic
92	SD12-Bit-CV-SB-425	425	16 3/4	Convex	Semi-Ballastic
93	SD12-Bit-CV-SB-429	429	16 7/8	Convex	Semi-Ballastic
94	SD12-Bit-CV-SB-432	432	17	Convex	Semi-Ballastic
95	SD12-Bit-CV-SB-435	435	17 1/8	Convex	Semi-Ballastic
96	SD12-Bit-CV-SB-438	438	17 1/4	Convex	Semi-Ballastic
97	SD12-Bit-CV-SB-441	441	17 3/8	Convex	Semi-Ballastic
98	SD12-Bit-CV-SB-445	445	17 1/2	Convex	Semi-Ballastic
99	SD12-Bit-CV-SB-448	448	17 5/8	Convex	Semi-Ballastic
100	SD12-Bit-CV-SB-451	451	17 3/4	Convex	Semi-Ballastic
101	SD12-Bit-CV-SB-454	454	17 7/8	Convex	Semi-Ballastic
102	SD12-Bit-CV-SB-457	457	18	Convex	Semi-Ballastic
103	SD12-Bit-CV-SB-483	483	19	Convex	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
104	SD12-Bit-CV-SB-508	508	20	Convex	Semi-Ballastic
105	SD12-Bit-FLT-SB-302	302	11 8/9	Flat	Semi-Ballastic
106	SD12-Bit-FLT-SB-305	305	12	Flat	Semi-Ballastic
107	SD12-Bit-FLT-SB-308	308	12 1/8	Flat	Semi-Ballastic
108	SD12-Bit-FLT-SB-311	311	12 1/4	Flat	Semi-Ballastic
109	SD12-Bit-FLT-SB-314	314	12 1/3	Flat	Semi-Ballastic
110	SD12-Bit-FLT-SB-318	318	12 1/2	Flat	Semi-Ballastic
111	SD12-Bit-FLT-SB-321	321	12 5/8	Flat	Semi-Ballastic
112	SD12-Bit-FLT-SB-324	324	12 3/4	Flat	Semi-Ballastic
113	SD12-Bit-FLT-SB-327	327	12 7/8	Flat	Semi-Ballastic
114	SD12-Bit-FLT-SB-330	330	13	Flat	Semi-Ballastic
115	SD12-Bit-FLT-SB-333	333	13 1/8	Flat	Semi-Ballastic
116	SD12-Bit-FLT-SB-337	337	13 1/4	Flat	Semi-Ballastic
117	SD12-Bit-FLT-SB-340	340	13 3/8	Flat	Semi-Ballastic
118	SD12-Bit-FLT-SB-343	343	13 1/2	Flat	Semi-Ballastic
119	SD12-Bit-FLT-SB-346	346	13 5/8	Flat	Semi-Ballastic
120	SD12-Bit-FLT-SB-349	349	13 3/4	Flat	Semi-Ballastic
121	SD12-Bit-FLT-SB-352	352	13 7/8	Flat	Semi-Ballastic
122	SD12-Bit-FLT-SB-356	356	14	Flat	Semi-Ballastic
123	SD12-Bit-FLT-SB-359	359	14 1/8	Flat	Semi-Ballastic
124	SD12-Bit-FLT-SB-362	362	14 1/4	Flat	Semi-Ballastic
125	SD12-Bit-FLT-SB-365	365	14 3/8	Flat	Semi-Ballastic
126	SD12-Bit-FLT-SB-368	368	14 1/2	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
127	SD12-Bit-FLT-SB-371	371	14 5/8	Flat	Semi-Ballastic
128	SD12-Bit-FLT-SB-375	375	14 3/4	Flat	Semi-Ballastic
129	SD12-Bit-FLT-SB-378	378	14 7/8	Flat	Semi-Ballastic
130	SD12-Bit-FLT-SB-381	381	15	Flat	Semi-Ballastic
131	SD12-Bit-FLT-SB-384	384	15 1/8	Flat	Semi-Ballastic
132	SD12-Bit-FLT-SB-387	387	15 1/4	Flat	Semi-Ballastic
133	SD12-Bit-FLT-SB-391	391	15 2/5	Flat	Semi-Ballastic
134	SD12-Bit-FLT-SB-394	394	15 1/2	Flat	Semi-Ballastic
135	SD12-Bit-FLT-SB-397	397	15 5/8	Flat	Semi-Ballastic
136	SD12-Bit-FLT-SB-400	400	15 3/4	Flat	Semi-Ballastic
137	SD12-Bit-FLT-SB-403	403	15 7/8	Flat	Semi-Ballastic
138	SD12-Bit-FLT-SB-406	406	16	Flat	Semi-Ballastic
139	SD12-Bit-FLT-SB-410	410	16 1/8	Flat	Semi-Ballastic
140	SD12-Bit-FLT-SB-413	413	16 1/4	Flat	Semi-Ballastic
141	SD12-Bit-FLT-SB-416	416	16 3/8	Flat	Semi-Ballastic
142	SD12-Bit-FLT-SB-419	419	16 1/2	Flat	Semi-Ballastic
143	SD12-Bit-FLT-SB-422	422	16 5/8	Flat	Semi-Ballastic
144	SD12-Bit-FLT-SB-425	425	16 3/4	Flat	Semi-Ballastic
145	SD12-Bit-FLT-SB-429	429	16 7/8	Flat	Semi-Ballastic
146	SD12-Bit-FLT-SB-432	432	17	Flat	Semi-Ballastic
147	SD12-Bit-FLT-SB-435	435	17 1/8	Flat	Semi-Ballastic
148	SD12-Bit-FLT-SB-438	438	17 1/4	Flat	Semi-Ballastic
149	SD12-Bit-FLT-SB-441	441	17 3/8	Flat	Semi-Ballastic
150	SD12-Bit-FLT-SB-445	445	17 1/2	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
151	SD12-Bit-FLT-SB-448	448	17 5/8	Flat	Semi-Ballastic
152	SD12-Bit-FLT-SB-451	451	17 3/4	Flat	Semi-Ballastic
153	SD12-Bit-FLT-SB-454	454	17 7/8	Flat	Semi-Ballastic
154	SD12-Bit-FLT-SB-457	457	18	Flat	Semi-Ballastic
155	SD12-Bit-FLT-SB-483	483	19	Flat	Semi-Ballastic
156	SD12-Bit-FLT-SB-508	508	20	Flat	Semi-Ballastic
157	SD12-Bit-CC-HEM-302	302	11 8/9	Concave	Hemispherical
158	SD12-Bit-CC-HEM-305	305	12	Concave	Hemispherical
159	SD12-Bit-CC-HEM-308	308	12 1/8	Concave	Hemispherical
160	SD12-Bit-CC-HEM-311	311	12 1/4	Concave	Hemispherical
161	SD12-Bit-CC-HEM-314	314	12 1/3	Concave	Hemispherical
162	SD12-Bit-CC-HEM-318	318	12 1/2	Concave	Hemispherical
163	SD12-Bit-CC-HEM-321	321	12 5/8	Concave	Hemispherical
164	SD12-Bit-CC-HEM-324	324	12 3/4	Concave	Hemispherical
165	SD12-Bit-CC-HEM-327	327	12 7/8	Concave	Hemispherical
166	SD12-Bit-CC-HEM-330	330	13	Concave	Hemispherical
167	SD12-Bit-CC-HEM-333	333	13 1/8	Concave	Hemispherical
168	SD12-Bit-CC-HEM-337	337	13 1/4	Concave	Hemispherical
169	SD12-Bit-CC-HEM-340	340	13 3/8	Concave	Hemispherical
170	SD12-Bit-CC-HEM-343	343	13 1/2	Concave	Hemispherical
171	SD12-Bit-CC-HEM-346	346	13 5/8	Concave	Hemispherical
172	SD12-Bit-CC-HEM-349	349	13 3/4	Concave	Hemispherical
173	SD12-Bit-CC-HEM-352	352	13 7/8	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
174	SD12-Bit-CC-HEM-356	356	14	Concave	Hemispherical
175	SD12-Bit-CC-HEM-359	359	14 1/8	Concave	Hemispherical
176	SD12-Bit-CC-HEM-362	362	14 1/4	Concave	Hemispherical
177	SD12-Bit-CC-HEM-365	365	14 3/8	Concave	Hemispherical
178	SD12-Bit-CC-HEM-368	368	14 1/2	Concave	Hemispherical
179	SD12-Bit-CC-HEM-371	371	14 5/8	Concave	Hemispherical
180	SD12-Bit-CC-HEM-375	375	14 3/4	Concave	Hemispherical
181	SD12-Bit-CC-HEM-378	378	14 7/8	Concave	Hemispherical
182	SD12-Bit-CC-HEM-381	381	15	Concave	Hemispherical
183	SD12-Bit-CC-HEM-384	384	15 1/8	Concave	Hemispherical
184	SD12-Bit-CC-HEM-387	387	15 1/4	Concave	Hemispherical
185	SD12-Bit-CC-HEM-391	391	15 2/5	Concave	Hemispherical
186	SD12-Bit-CC-HEM-394	394	15 1/2	Concave	Hemispherical
187	SD12-Bit-CC-HEM-397	397	15 5/8	Concave	Hemispherical
188	SD12-Bit-CC-HEM-400	400	15 3/4	Concave	Hemispherical
189	SD12-Bit-CC-HEM-403	403	15 7/8	Concave	Hemispherical
190	SD12-Bit-CC-HEM-406	406	16	Concave	Hemispherical
191	SD12-Bit-CC-HEM-410	410	16 1/8	Concave	Hemispherical
192	SD12-Bit-CC-HEM-413	413	16 1/4	Concave	Hemispherical
193	SD12-Bit-CC-HEM-416	416	16 3/8	Concave	Hemispherical
194	SD12-Bit-CC-HEM-419	419	16 1/2	Concave	Hemispherical
195	SD12-Bit-CC-HEM-422	422	16 5/8	Concave	Hemispherical
196	SD12-Bit-CC-HEM-425	425	16 3/4	Concave	Hemispherical
197	SD12-Bit-CC-HEM-429	429	16 7/8	Concave	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
198	SD12-Bit-CC-HEM-432	432	17	Concave	Hemispherical
199	SD12-Bit-CC-HEM-435	435	17 1/8	Concave	Hemispherical
200	SD12-Bit-CC-HEM-438	438	17 1/4	Concave	Hemispherical
201	SD12-Bit-CC-HEM-441	441	17 3/8	Concave	Hemispherical
202	SD12-Bit-CC-HEM-445	445	17 1/2	Concave	Hemispherical
203	SD12-Bit-CC-HEM-448	448	17 5/8	Concave	Hemispherical
204	SD12-Bit-CC-HEM-451	451	17 3/4	Concave	Hemispherical
205	SD12-Bit-CC-HEM-454	454	17 7/8	Concave	Hemispherical
206	SD12-Bit-CC-HEM-457	457	18	Concave	Hemispherical
207	SD12-Bit-CC-HEM-483	483	19	Concave	Hemispherical
208	SD12-Bit-CC-HEM-508	508	20	Concave	Hemispherical
209	SD12-Bit-CV-HEM-302	302	11 8/9	Convex	Hemispherical
210	SD12-Bit-CV-HEM-305	305	12	Convex	Hemispherical
211	SD12-Bit-CV-HEM-308	308	12 1/8	Convex	Hemispherical
212	SD12-Bit-CV-HEM-311	311	12 1/4	Convex	Hemispherical
213	SD12-Bit-CV-HEM-314	314	12 1/3	Convex	Hemispherical
214	SD12-Bit-CV-HEM-318	318	12 1/2	Convex	Hemispherical
215	SD12-Bit-CV-HEM-321	321	12 5/8	Convex	Hemispherical
216	SD12-Bit-CV-HEM-324	324	12 3/4	Convex	Hemispherical
217	SD12-Bit-CV-HEM-327	327	12 7/8	Convex	Hemispherical
218	SD12-Bit-CV-HEM-330	330	13	Convex	Hemispherical
219	SD12-Bit-CV-HEM-333	333	13 1/8	Convex	Hemispherical
220	SD12-Bit-CV-HEM-337	337	13 1/4	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
221	SD12-Bit-CV-HEM-340	340	13 3/8	Convex	Hemispherical
222	SD12-Bit-CV-HEM-343	343	13 1/2	Convex	Hemispherical
223	SD12-Bit-CV-HEM-346	346	13 5/8	Convex	Hemispherical
224	SD12-Bit-CV-HEM-349	349	13 3/4	Convex	Hemispherical
225	SD12-Bit-CV-HEM-352	352	13 7/8	Convex	Hemispherical
226	SD12-Bit-CV-HEM-356	356	14	Convex	Hemispherical
227	SD12-Bit-CV-HEM-359	359	14 1/8	Convex	Hemispherical
228	SD12-Bit-CV-HEM-362	362	14 1/4	Convex	Hemispherical
229	SD12-Bit-CV-HEM-365	365	14 3/8	Convex	Hemispherical
230	SD12-Bit-CV-HEM-368	368	14 1/2	Convex	Hemispherical
231	SD12-Bit-CV-HEM-371	371	14 5/8	Convex	Hemispherical
232	SD12-Bit-CV-HEM-375	375	14 3/4	Convex	Hemispherical
233	SD12-Bit-CV-HEM-378	378	14 7/8	Convex	Hemispherical
234	SD12-Bit-CV-HEM-381	381	15	Convex	Hemispherical
235	SD12-Bit-CV-HEM-384	384	15 1/8	Convex	Hemispherical
236	SD12-Bit-CV-HEM-387	387	15 1/4	Convex	Hemispherical
237	SD12-Bit-CV-HEM-391	391	15 2/5	Convex	Hemispherical
238	SD12-Bit-CV-HEM-394	394	15 1/2	Convex	Hemispherical
239	SD12-Bit-CV-HEM-397	397	15 5/8	Convex	Hemispherical
240	SD12-Bit-CV-HEM-400	400	15 3/4	Convex	Hemispherical
241	SD12-Bit-CV-HEM-403	403	15 7/8	Convex	Hemispherical
242	SD12-Bit-CV-HEM-406	406	16	Convex	Hemispherical
243	SD12-Bit-CV-HEM-410	410	16 1/8	Convex	Hemispherical
244	SD12-Bit-CV-HEM-413	413	16 1/4	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
245	SD12-Bit-CV-HEM-416	416	16 3/8	Convex	Hemispherical
246	SD12-Bit-CV-HEM-419	419	16 1/2	Convex	Hemispherical
247	SD12-Bit-CV-HEM-422	422	16 5/8	Convex	Hemispherical
248	SD12-Bit-CV-HEM-425	425	16 3/4	Convex	Hemispherical
249	SD12-Bit-CV-HEM-429	429	16 7/8	Convex	Hemispherical
250	SD12-Bit-CV-HEM-432	432	17	Convex	Hemispherical
251	SD12-Bit-CV-HEM-435	435	17 1/8	Convex	Hemispherical
252	SD12-Bit-CV-HEM-438	438	17 1/4	Convex	Hemispherical
253	SD12-Bit-CV-HEM-441	441	17 3/8	Convex	Hemispherical
254	SD12-Bit-CV-HEM-445	445	17 1/2	Convex	Hemispherical
255	SD12-Bit-CV-HEM-448	448	17 5/8	Convex	Hemispherical
256	SD12-Bit-CV-HEM-451	451	17 3/4	Convex	Hemispherical
257	SD12-Bit-CV-HEM-454	454	17 7/8	Convex	Hemispherical
258	SD12-Bit-CV-HEM-457	457	18	Convex	Hemispherical
259	SD12-Bit-CV-HEM-483	483	19	Convex	Hemispherical
260	SD12-Bit-CV-HEM-508	508	20	Convex	Hemispherical
261	SD12-Bit-FLT-HEM-302	302	11 8/9	Flat	Hemispherical
262	SD12-Bit-FLT-HEM-305	305	12	Flat	Hemispherical
263	SD12-Bit-FLT-HEM-308	308	12 1/8	Flat	Hemispherical
264	SD12-Bit-FLT-HEM-311	311	12 1/4	Flat	Hemispherical
265	SD12-Bit-FLT-HEM-314	314	12 1/3	Flat	Hemispherical
266	SD12-Bit-FLT-HEM-318	318	12 1/2	Flat	Hemispherical
267	SD12-Bit-FLT-HEM-321	321	12 5/8	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
268	SD12-Bit-FLT-HEM-324	324	12 3/4	Flat	Hemispherical
269	SD12-Bit-FLT-HEM-327	327	12 7/8	Flat	Hemispherical
270	SD12-Bit-FLT-HEM-330	330	13	Flat	Hemispherical
271	SD12-Bit-FLT-HEM-333	333	13 1/8	Flat	Hemispherical
272	SD12-Bit-FLT-HEM-337	337	13 1/4	Flat	Hemispherical
273	SD12-Bit-FLT-HEM-340	340	13 3/8	Flat	Hemispherical
274	SD12-Bit-FLT-HEM-343	343	13 1/2	Flat	Hemispherical
275	SD12-Bit-FLT-HEM-346	346	13 5/8	Flat	Hemispherical
276	SD12-Bit-FLT-HEM-349	349	13 3/4	Flat	Hemispherical
277	SD12-Bit-FLT-HEM-352	352	13 7/8	Flat	Hemispherical
278	SD12-Bit-FLT-HEM-356	356	14	Flat	Hemispherical
279	SD12-Bit-FLT-HEM-359	359	14 1/8	Flat	Hemispherical
280	SD12-Bit-FLT-HEM-362	362	14 1/4	Flat	Hemispherical
281	SD12-Bit-FLT-HEM-365	365	14 3/8	Flat	Hemispherical
282	SD12-Bit-FLT-HEM-368	368	14 1/2	Flat	Hemispherical
283	SD12-Bit-FLT-HEM-371	371	14 5/8	Flat	Hemispherical
284	SD12-Bit-FLT-HEM-375	375	14 3/4	Flat	Hemispherical
285	SD12-Bit-FLT-HEM-378	378	14 7/8	Flat	Hemispherical
286	SD12-Bit-FLT-HEM-381	381	15	Flat	Hemispherical
287	SD12-Bit-FLT-HEM-384	384	15 1/8	Flat	Hemispherical
288	SD12-Bit-FLT-HEM-387	387	15 1/4	Flat	Hemispherical
289	SD12-Bit-FLT-HEM-391	391	15 2/5	Flat	Hemispherical
290	SD12-Bit-FLT-HEM-394	394	15 1/2	Flat	Hemispherical
291	SD12-Bit-FLT-HEM-397	397	15 5/8	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
292	SD12-Bit-FLT-HEM-400	400	15 3/4	Flat	Hemispherical
293	SD12-Bit-FLT-HEM-403	403	15 7/8	Flat	Hemispherical
294	SD12-Bit-FLT-HEM-406	406	16	Flat	Hemispherical
295	SD12-Bit-FLT-HEM-410	410	16 1/8	Flat	Hemispherical
296	SD12-Bit-FLT-HEM-413	413	16 1/4	Flat	Hemispherical
297	SD12-Bit-FLT-HEM-416	416	16 3/8	Flat	Hemispherical
298	SD12-Bit-FLT-HEM-419	419	16 1/2	Flat	Hemispherical
299	SD12-Bit-FLT-HEM-422	422	16 5/8	Flat	Hemispherical
300	SD12-Bit-FLT-HEM-425	425	16 3/4	Flat	Hemispherical
301	SD12-Bit-FLT-HEM-429	429	16 7/8	Flat	Hemispherical
302	SD12-Bit-FLT-HEM-432	432	17	Flat	Hemispherical
303	SD12-Bit-FLT-HEM-435	435	17 1/8	Flat	Hemispherical
304	SD12-Bit-FLT-HEM-438	438	17 1/4	Flat	Hemispherical
305	SD12-Bit-FLT-HEM-441	441	17 3/8	Flat	Hemispherical
306	SD12-Bit-FLT-HEM-445	445	17 1/2	Flat	Hemispherical
307	SD12-Bit-FLT-HEM-448	448	17 5/8	Flat	Hemispherical
308	SD12-Bit-FLT-HEM-451	451	17 3/4	Flat	Hemispherical
309	SD12-Bit-FLT-HEM-454	454	17 7/8	Flat	Hemispherical
310	SD12-Bit-FLT-HEM-457	457	18	Flat	Hemispherical
311	SD12-Bit-FLT-HEM-483	483	19	Flat	Hemispherical
312	SD12-Bit-FLT-HEM-508	508	20	Flat	Hemispherical

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design	
I	RockSmith Hammer Product Number	DTHHAM15				
	Bit Shank	SD15				
	Top Thread	8 5/8 API Reg Pin				
	Total Approx Length (L) mm	1859				
	Outside Diameter (D1) mm Approx	360				
	Drill Bits					
	Bit Shank	SD15				
	Spline Number	12				
1	SD12-Bit-CC-SB-432	432	17	Concave	Semi-Ballastic	
2	SD12-Bit-CC-SB-435	435	17 1/8	Concave	Semi-Ballastic	
3	SD12-Bit-CC-SB-438	438	17 1/4	Concave	Semi-Ballastic	
4	SD12-Bit-CC-SB-441	441	17 3/8	Concave	Semi-Ballastic	
5	SD12-Bit-CC-SB-445	445	17 1/2	Concave	Semi-Ballastic	
6	SD12-Bit-CC-SB-448	448	17 5/8	Concave	Semi-Ballastic	
7	SD12-Bit-CC-SB-451	451	17 3/4	Concave	Semi-Ballastic	
8	SD12-Bit-CC-SB-454	454	17 7/8	Concave	Semi-Ballastic	
9	SD12-Bit-CC-SB-457	457	18	Concave	Semi-Ballastic	
10	SD12-Bit-CC-SB-483	483	19	Concave	Semi-Ballastic	
11	SD12-Bit-CC-SB-508	508	20	Concave	Semi-Ballastic	
12	SD12-Bit-CC-SB-559	559	22	Concave	Semi-Ballastic	
13	SD12-Bit-CC-SB-610	610	24	Concave	Semi-Ballastic	
14	SD12-Bit-CV-SB-432	432	17	Convex	Semi-Ballastic	
15	SD12-Bit-CV-SB-435	435	17 1/8	Convex	Semi-Ballastic	

Down the Hole Hammer and Bits Brief Specifications




Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
16	SD12-Bit-CV-SB-438	438	17 1/4	Convex	Semi-Ballastic
17	SD12-Bit-CV-SB-441	441	17 3/8	Convex	Semi-Ballastic
18	SD12-Bit-CV-SB-445	445	17 1/2	Convex	Semi-Ballastic
19	SD12-Bit-CV-SB-448	448	17 5/8	Convex	Semi-Ballastic
20	SD12-Bit-CV-SB-451	451	17 3/4	Convex	Semi-Ballastic
21	SD12-Bit-CV-SB-454	454	17 7/8	Convex	Semi-Ballastic
22	SD12-Bit-CV-SB-457	457	18	Convex	Semi-Ballastic
23	SD12-Bit-CV-SB-483	483	19	Convex	Semi-Ballastic
24	SD12-Bit-CV-SB-508	508	20	Convex	Semi-Ballastic
25	SD12-Bit-CV-SB-559	559	22	Convex	Semi-Ballastic
26	SD12-Bit-CV-SB-610	610	24	Convex	Semi-Ballastic
27	SD12-Bit-FLT-SB-432	432	17	Flat	Semi-Ballastic
28	SD12-Bit-FLT-SB-435	435	17 1/8	Flat	Semi-Ballastic
29	SD12-Bit-FLT-SB-438	438	17 1/4	Flat	Semi-Ballastic
30	SD12-Bit-FLT-SB-441	441	17 3/8	Flat	Semi-Ballastic
31	SD12-Bit-FLT-SB-445	445	17 1/2	Flat	Semi-Ballastic
32	SD12-Bit-FLT-SB-448	448	17 5/8	Flat	Semi-Ballastic
33	SD12-Bit-FLT-SB-451	451	17 3/4	Flat	Semi-Ballastic
34	SD12-Bit-FLT-SB-454	454	17 7/8	Flat	Semi-Ballastic
35	SD12-Bit-FLT-SB-457	457	18	Flat	Semi-Ballastic
36	SD12-Bit-FLT-SB-483	483	19	Flat	Semi-Ballastic
37	SD12-Bit-FLT-SB-508	508	20	Flat	Semi-Ballastic
38	SD12-Bit-FLT-SB-559	559	22	Flat	Semi-Ballastic

Down the Hole Hammer and Bits Brief Specifications



Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
39	SD12-Bit-FLT-SB-610	610	24	Flat	Semi-Ballastic
40	SD12-Bit-CC-HEM-432	432	17	Concave	Hemispherical
41	SD12-Bit-CC-HEM-435	435	17 1/8	Concave	Hemispherical
42	SD12-Bit-CC-HEM-438	438	17 1/4	Concave	Hemispherical
43	SD12-Bit-CC-HEM-441	441	17 3/8	Concave	Hemispherical
44	SD12-Bit-CC-HEM-445	445	17 1/2	Concave	Hemispherical
45	SD12-Bit-CC-HEM-448	448	17 5/8	Concave	Hemispherical
46	SD12-Bit-CC-HEM-451	451	17 3/4	Concave	Hemispherical
47	SD12-Bit-CC-HEM-454	454	17 7/8	Concave	Hemispherical
48	SD12-Bit-CC-HEM-457	457	18	Concave	Hemispherical
49	SD12-Bit-CC-HEM-483	483	19	Concave	Hemispherical
50	SD12-Bit-CC-HEM-508	508	20	Concave	Hemispherical
51	SD12-Bit-CC-HEM-559	559	22	Concave	Hemispherical
52	SD12-Bit-CC-HEM-610	610	24	Concave	Hemispherical
53	SD12-Bit-CV-HEM-432	432	17	Convex	Hemispherical
54	SD12-Bit-CV-HEM-435	435	17 1/8	Convex	Hemispherical
55	SD12-Bit-CV-HEM-438	438	17 1/4	Convex	Hemispherical
56	SD12-Bit-CV-HEM-441	441	17 3/8	Convex	Hemispherical
57	SD12-Bit-CV-HEM-445	445	17 1/2	Convex	Hemispherical
58	SD12-Bit-CV-HEM-448	448	17 5/8	Convex	Hemispherical
59	SD12-Bit-CV-HEM-451	451	17 3/4	Convex	Hemispherical
60	SD12-Bit-CV-HEM-454	454	17 7/8	Convex	Hemispherical

Down the Hole Hammer and Bits Brief Specifications



Sr. No.	Rocksmith Part Number	Diameter mm	Diameter Inches	Bit Face Configuration	Carbide Design
61	SD12-Bit-CV-HEM-457	457	18	Convex	Hemispherical
62	SD12-Bit-CV-HEM-483	483	19	Convex	Hemispherical
63	SD12-Bit-CV-HEM-508	508	20	Convex	Hemispherical
64	SD12-Bit-CV-HEM-559	559	22	Convex	Hemispherical
65	SD12-Bit-CV-HEM-610	610	24	Convex	Hemispherical
66	SD12-Bit-FLT-HEM-432	432	17	Flat	Hemispherical
67	SD12-Bit-FLT-HEM-435	435	17 1/8	Flat	Hemispherical
68	SD12-Bit-FLT-HEM-438	438	17 1/4	Flat	Hemispherical
69	SD12-Bit-FLT-HEM-441	441	17 3/8	Flat	Hemispherical
70	SD12-Bit-FLT-HEM-445	445	17 1/2	Flat	Hemispherical
71	SD12-Bit-FLT-HEM-448	448	17 5/8	Flat	Hemispherical
72	SD12-Bit-FLT-HEM-451	451	17 3/4	Flat	Hemispherical
73	SD12-Bit-FLT-HEM-454	454	17 7/8	Flat	Hemispherical
74	SD12-Bit-FLT-HEM-457	457	18	Flat	Hemispherical
75	SD12-Bit-FLT-HEM-483	483	19	Flat	Hemispherical
76	SD12-Bit-FLT-HEM-508	508	20	Flat	Hemispherical
77	SD12-Bit-FLT-HEM-559	559	22	Flat	Hemispherical
78	SD12-Bit-FLT-HEM-610	610	24	Flat	Hemispherical